

DYNACOLOR
always watching

台灣製造

華輝
WECL
中港澳總代理

- 多家連鎖快餐店、超市、大學採用
- 隨錄影機附送一站式多點監控系統



安防監控錄影機、快球攝像機及網絡攝像機產品



Product Catalog

- 2011 Digital Surveillance Solution -



■ H.264 Hybrid DVR

■ Megapixel IP Camera

■ High Speed Dome Camera

■ Application

■ System Diagram

Your Video Surveillance Total Solution Partner
為您提供全方位視頻監控方案的合作伙伴



DYNACOLOR
always watching

目錄 INDEX

	內容 Content	頁 Page
	關於彩富電子 About Dynacolor	2
	華輝香港代理證書 Certificate of Authorization	3
	系統概念圖 System Diagrams	4
	H.264 數碼硬碟錄影機 H.264 DVR	6
	快球攝像機 SpeedDome Camera	10
	網路攝像機 IP Camera	12

產品規格、價格及其供應如有更改，恕不另行通知。 All Specifications, prices and availability subject to change without notice.

1



關於彩富電子

彩富電子股份有限公司成立於1991年，總部位於臺灣臺北，多年來均能躋身A&S全球安防50強之列。

彩富所設計製造的數位影像監控產品，包括快速球型攝影機、高解析網路攝影機、數位錄放影機、視頻多工器、視頻伺服器以及控制鍵盤。

彩富所生產的監控產品，適用範圍極廣，小至只架設幾隻攝影機的小型商店或公寓，大至複雜的遠端網路監控系統。這些監控產品可依據各個不同的需求，應用於各種場所，如商店、政府機關、公共建設、學校、機場、軍事機關、監獄、公園、街道、銀行、購物中心、運動場等。

About DYNACOLOR

DYNACOLOR specializes in video surveillance products. Headquartered in Taipei since 1991, DYNACOLOR has achieved continuous growth and market recognition. It has been being listed on A&S Security 50 Ranking which exhibits the Top 50 Companies in the physical security industries for several years.

DYNACOLOR designs and manufactures digital surveillance products, including speed dome cameras, megapixel IP cameras, digital video recorders (DVRs), multiplexers, video servers, and keyboard controllers. These products are used in various places, including retail stores, government facilities, schools, city halls, airports, military sites, prisons, parks, streets, banks, shopping malls, stadiums, and a wide range of other medium and high security applications.

DYNACOLOR delivers digital surveillance solutions for small and large applications, from the very simple surveillance task with only a few cameras for small stores and buildings, to large installations with complex networks and needs.

**Delivering today while
building for the future**



產品規格、價格及其供應如有更改，恕不另行通知。 All Specifications, prices and availability subject to change without notice.

2

產品代理商證明書

AUTHORIZED DISTRIBUTOR CERTIFICATE

茲證明 華輝無線電行有限公司 為彩富電子股份有限公司於香港及澳門之授權總代理，有權銷售本公司之監控產品。

This is to certify that **Welfare Electronic Component Ltd.** is our authorized distributor for **DYNACOLOR Security Products.**

彩富電子股份有限公司
Dynacolor, Inc.



負責人：陳 春 生


本證明影印、加蓋任何非彩富電子股份有限公司印章或簽字及任何塗改均無效

中華民國 一 百 年 九 月 十 九 日

System Diagram 簡單網路視頻監控方案 - 適合一般中小型辦公室及商店使用

Products:

- NH, V, W Series, IP Camera
- DG-iCMS




SMB / Single Store

System Diagram 複合網路視頻監控方案 - 適合一般中型集團及連鎖店使用

Products:

- NH, V, W Series, IP Camera
- IP PTZ
- DG-VSS, NVR
- DG-iCMS




Enterprise / Franchise Stores

產品規格、價格及其供應如有更改，恕不另行通知。 All Specifications, prices and availability subject to change without notice.

4



數碼+模擬 混合型視頻監控方案 - 適合各商場、商廈、醫院、學院、
交通基建、政府部門、酒店項目使用



HYBRID Video Surveillance solution – Colleges / Universities, Government Departments, Hospitals, Hotels, Shopping Malls and Transportation Infrastructures

產品規格、價格及其供應如有更改，恕不另行通知。 All Specifications, prices and availability subject to change without notice.

5

產品編號 Code	產品型號及描述 Model No. and Description	價目 Price (HK\$)	存貨 Stocks
89-08-3616	DG616S II-DV – 16ch 3codec DVR (89-08-3616)	歡迎查詢	現貨
89-08-3616 + 89-09-3616	DG616U II-DV – 16ch 3codec DVR (89-08-3616 + 89-09-3616)	Please ask	Available
   ● 支援 D1 全實時錄影 / 重播 (D1: 400ips) (只適用於 DG616U II) ● Support D1 Real-Time (D1: 400ips) Recording / Playback (For DG616U II Only) ● 同時支援多達 20 台模擬及網絡攝像機 Up to 20Ch. of Analog cameras + IP cameras ● 支援多達 8 個頻道的網絡攝像機錄影 Up to 8Ch. of IP cameras ● 配備飛梭旋鈕，協助用家作快速搜畫及逐格重播 Jog / Shuttle ● 同時支援主、副及環通(Loop-through)顯示器輸出 Main, Call and Loop-through monitor output ● 支援收銀機(POS)交易記錄 POS function: Transaction monitoring ● 支援多達 4 個 SATA 裝置 (硬碟及 DVD 燒錄器) Up to 4 SATA devices (HDD and DVD-writer) ● 支援 HDMI 全高清影像輸出 Digital display output (Full HD 1080P) ● 配備 DVD 燒錄器 Built-in DVD-writer ● 16 頻道錄音 16Ch. Audio recording			
89-08-0064	L64 – 4ch H.264 DVR (100ips/VGA/Half Rack)	歡迎查詢 Please ask	現貨 Available
  ● 高達 4 個頻道 2CIF 實時錄影及 4 個頻道錄音 Up to 4Ch. 2CIF Real-time video and audio recording ● H.264 壓縮 H.264 Compression technology ● 外型輕巧 – 220(W) x 55(H) x 220(D) mm Compact design – 220(W) x 55(H) x 220(D) mm			
● 支援多工操作 ● 支援多款手機監控 (iPhone, Android and Blackberry) ● 支援 DynaGuard™ CMS 中央監控軟件 ● 支援 ezBurn™ 影像匯出快速設定 ● 支援 ezRecord™ 簡易錄影設定 ● 支援 ezDDNS™ 簡易動態 DNS 設定		- Multiplex operation - Mobile View (iPhone, Android and Blackberry support) - DynaGuard™ CMS for video management - ezBurn™ to easily export recorded video - ezRecord™ to easily set-up recording profile - ezDDNS™ to easily set-up DDN	

產品規格、價格及其供應如有更改，恕不另行通知。 All Specifications, prices and availability subject to change without notice.

6

產品編號 Code	產品型號及描述 Model No. and Description	價目 Price (HK\$)	存貨 Stocks
89-08-8186	L86T+ - 16ch H.264 DVR (400ips@2CIF/HDMI/VGA) ● 高達 16 個頻道 2CIF 實時錄影及 16 個頻道錄音 Up to 16Ch. 2CIF Real-time video and audio recording ● 支援 1080p 全高清影像輸出 Digital display output (Full HD 1080P) ● 支援 2 個內置 SATA 硬碟及 1 個 SATA DVD 燒錄器 (可選購) Up to 2 SATA HDD and 1 SATA DVD-writer (Optional)	歡迎查詢 Please ask	現貨 Available
89-08-8842	L88II - 8ch H.264 DVR (200ips@2CIF/HDMI/VGA) ● 高達 8 個頻道 2CIF 實時錄影及 8 個頻道錄音 Up to 8Ch. 2CIF Real-time video and audio recording ● 支援 1080p 全高清影像輸出 Digital display output (Full HD 1080P) ● 支援 2 個內置 SATA 裝置 (硬碟及 DVD 燒錄器(可選購)) Up to 2 SATA devices (HDD and DVD-writer (Optional))	歡迎查詢 Please ask	現貨 Available
89-08-8442	L84II - 4ch H.264 DVR (100ips@D1/HDMI/VGA) ● 高達 4 個頻道 D1 實時錄影及 4 個頻道錄音 Up to 4Ch. D1 Real-time video and audio recording ● 支援 1080p 全高清影像輸出 Digital display output (Full HD 1080P) ● 支援 2 個內置 SATA 裝置 (硬碟及 DVD 燒錄器(可選購)) Up to 2 SATA devices (HDD and DVD-writer (Optional))	歡迎查詢 Please ask	現貨 Available

歡迎垂詢會員及工程項目優惠價 Special offer for members and projects, please ask

- 支援多工操作
- 支援多款手機監控 (iPhone, Android and Blackberry)
- 支援 DynaGuard™ CMS 中央監控軟件
- 支援 ezBurn™ 影像匯出快速設定
- 支援 ezRecord™ 簡易錄影設定
- 支援 ezDDNS™ 簡易動態 DNS 設定

Multiplex operation
 Mobile View (iPhone, Android and Blackberry support)
 DynaGuard™ CMS for video management
 ezBurn™ to easily export recorded video
 ezRecord™ to easily set-up recording profile
 ezDDNS™ to easily set-up DDNS

產品規格、價格及其供應如有更改，恕不另行通知。 All Specifications, prices and availability subject to change without notice.

7

產品編號 Code	產品型號及描述 Model No. and Description	價目 Price (HK\$)	存貨 Stocks
89-08-3086	L86DV Hybrid 16ch Dual-Codec DVR (H.264/200ips/DVD+RW/VGA) ● 高達 16 個頻道實時錄影及 16 個頻道錄音 Up to 16Ch. Real-time video and audio recording ● 支援最多 2 支網絡攝像機錄影 Up to 2Ch. of IP cameras ● 支援 3 個 SATA 裝置 (硬碟及 DVD 燒錄器) Up to 3 SATA devices (HDD and DVD-writer) ● 配備 DVD 燒錄器 Built-in DVD-writer ● H.264 / MJPEG 壓縮 H.264 / MJPEG Compression technology ● 支援多工操作 Multiplex operation ● 支援 DynaGuard™ CMS 中央監控軟件 DynaGuard™ CMS for video management ● 支援 ezBurn™ 影像匯出快速設定 ezBurn™ to easily export recorded video ● 支援 ezRecord™ 簡易錄影設定 ezRecord™ to easily set-up recording profile ● 支援 ezDDNS™ 簡易動態 DNS 設定 ezDDNS™ to easily set-up DDNS	歡迎查詢 Please ask	現貨 Available

模擬+網絡攝像機方案



 經濟
之選

歡迎垂詢會員及工程項目優惠價 Special offer for members and projects, please ask

產品規格、價格及其供應如有更改，恕不另行通知。 All Specifications, prices and availability subject to change without notice.

8

產品編號 Code 產品型號及描述 Model No. and Description 價目 Price (HK\$) 存倉 Stocks

27-37-1510

DH510-D2 12x WDR Mini Speed Dome Camera (650TVL/0.1LUX/f3.8~45.6mm/DC12V or AC24V)

歡迎查詢


現貨

Please ask

Available



- 12 倍光學變焦和 12 倍數碼變焦
12x Optical zoom and 12x Digital zoom



27-37-1610

DH610-D2 12x WDR Outdoor Mini Speed Dome Camera (650TVL/0.1Lux/f3.8~45.6mm/IP66/AC24V)

歡迎查詢


現貨

Please ask

Available



- 12 倍光學變焦和 12 倍數碼變焦
12x Optical zoom and 12x Digital zoom
- 半球型 IP66 防水及防暴罩
IP66 Whether-proof housing and Vandal-proof dome cover



歡迎垂詢會員及工程項目優惠價 Special offer for members and projects, please ask

- | | |
|--------------------------------------|--|
| ● 650 TVL 高線數 | High resolution – 650TVL |
| ● 最低照度為 0.1 lux (彩色) 和 0.01 lux (黑白) | Min. illumination – 0.1lux (Color) / 0.01lux (B/W) |
| ● 預置速度高達 400°/秒，準確度為 0.1° | Preset speed up to 400°/sec and resolution of 0.1° |
| ● 360° 水平方向不間斷旋轉 | 360° Endless pan |
| ● 可預設位置及作自動巡航 | Preset P/T/Z and Auto patrol |
| ● 自動校整 | Auto-calibration |
| ● 內建自動開關紅外光過濾片 | Removable IR cut (ICR) Filter |
| ● 背光補償 | Backlight compensation |
| ● 寬動態 | Wide dynamic range (WDR) |
| ● 2D / 3D 數碼降噪 | 2D / 3D noise reduction |

產品規格、價格及其供應如有更改，恕不另行通知。 All Specifications, prices and availability subject to change without notice.

9


產品編號 Code 產品型號及描述 Model No. and Description 價目 Price (HK\$) 存倉 Stocks

27-37-7015



**DH701-S5 30x Integrated High Speed Dome Camera
(650TVL/0.1Lux/f3.4~102mm/D&N/ DC12V or
AC24V)**

- 30 倍光學變焦和 12 倍數碼變焦
30x Optical zoom and 12x Digital zoom



歡迎查詢

Please ask

訂購


Booking

27-37-8015



**DH801-S5 30x Outdoor Integrated High Speed Dome
Camera
(650TVL/0.1Lux/3.4~102mm/IP66/D&N/AC24V)**

- 30 倍光學變焦和 12 倍數碼變焦
30x Optical zoom and 12x Digital zoom
- 半球型 IP66 防水及防暴罩
IP66 Whether-proof housing and Vandal-proof dome cover



歡迎查詢

Please ask

訂購

Booking

歡迎垂詢會員及工程項目優惠價 Special offer for members and projects, please ask

- 650 TVL 高線數
- 最低照度為 0.1 lux (彩色) 和 0.01 lux (黑白)
- 預置速度高達 400°/秒，準確度為 0.1°
- 360° 水平方向不間斷旋轉
- 自動校整
- 內建自動開關紅外光過濾片
- 背光補償
- 闊動態
- 2D / 3D 數碼降噪

- High resolution – 650TVL
- Min. illumination – 0.1lux (Color) / 0.01lux (B/W)
- Preset speed up to 400°/sec and resolution of 0.1°
- 360° Endless pan
- Auto-calibration
- Removable IR cut (ICR) Filter
- Backlight compensation
- Wide dynamic range (WDR)
- 2D / 3D noise reduction

產品規格、價格及其供應如有更改，恕不另行通知。 All Specifications, prices and availability subject to change without notice.

10

產品編號 Code 產品型號及描述 Model No. and Description 價目 Price (HK\$) 存貨 Stocks

27-37-7016




DH701-S6 36x Integrated High Speed Dome Camera
(650TVL/0.1Lux/3.4~122mm/D&N/ DC12V or AC24V)

歡迎查詢
Please ask

現貨
Available

- 36 倍光學變焦和 12 倍數碼變焦
36x Optical zoom and 12x Digital zoom



27-37-8016




DH801-S6 36x Outdoor Integrated High Speed Dome Camera
(650TVL/0.1Lux/3.4~122mm/IP66/D&N/AC24V)

歡迎查詢
Please ask

現貨
Available

- 36 倍光學變焦和 12 倍數碼變焦
36x Optical zoom and 12x Digital zoom
- 半球型 IP66 防水及防暴罩
IP66 Weather-proof housing and Vandal-proof dome cover



歡迎垂詢會員及工程項目優惠價 Special offer for members and projects, please ask

- 650 TVL 高線數
- 最低照度為 0.1 lux (彩色) 和 0.01 lux (黑白)
- 預置速度高達 400°/秒，準確度為 0.1°
- 360° 水平方向不間斷旋轉
- 自動校整
- 內建自動開關紅外光過濾片
- 背光補償
- 寬動態
- 2D / 3D 數碼降噪

- High resolution – 650TVL
- Min. illumination – 0.1lux (Color) / 0.01lux (B/W)
- Preset speed up to 400°/sec and resolution of 0.1°
- 360° Endless pan
- Auto-calibration
- Removable IR cut (ICR) Filter
- Backlight compensation
- Wide dynamic range (WDR)
- 2D / 3D noise reduction

產品規格、價格及其供應如有更改，恕不另行通知。 All Specifications, prices and availability subject to change without notice.

11

產品編號 Code	產品型號及描述 Model No. and Description	價目 Price (HK\$)	存貨 Stocks
-----------	-----------------------------------	-----------------	-----------

89-48-0102 / 89-48-1102(IP66)

V1-A 2.0M(12.5ips) IP Dome (89-48-0102 / 89-48-1102)

歡迎查詢

現貨

89-48-2102 / 89-48-3102(IP66)


V1-B 2.0M(25ips) IP Dome (89-48-2102 / 89-48-3102)

Please ask

Available



- 數碼日/夜功能
Digital Day / Night
- f4.0mm/ F1.5
- 最低照度 0.1 lux
Min. illumination – 0.1 lux
- 內建收音咪 (適用於 89-48-0102 / 89-48-2102)
Built-in microphone (For 89-48-0102 / 89-48-2102 only)
- IP66 防水外殼(Rugged) (適用於 89-48-1102 / 89-48-3102)
IP66 housing (Rugged) (For 89-48-1102 / 89-48-3102 only)



Unit: (mm)

89-48-0062 / 89-48-1062

V6-A 2.0M(12.5ips) D/N IP Box Camera (89-48-0062)

歡迎查詢

現貨

V6-B 2.0M(25ips) D/N IP Box Camera (89-48-1062)

Please ask

Available



(*鏡頭需另購; Lens is optional)

- PoE / DC12V 電源
Support PoE / DC12V power input
- 內建自動開關紅外光過濾片
Removable IR cut (ICR) Filter
- 支援自動光圈鏡頭 (C/CS 適配環)
Support Auto-Iris Len (C/CS mount)
- 設有複合視頻訊號輸出 (BNC 埠)
Built-in Composite video output (BNC port)



Unit: (mm)

歡迎垂詢會員及工程項目優惠價 Special offer for members and projects, please ask

- | | |
|---|--|
| ● 1/2.7 英吋逐行掃描 CMOS 感光元件 | 1/2.7" Progressive High resolution CMOS |
| ● 二百萬像素 | Up to 2 Mega pixel |
| ● PoE 電源 | Power over Ethernet (PoE) |
| ● 支援 Micro SD 卡 | Support Micro SD memory card |
| ● 支援 DynaGuard™ CMS 中央監控軟件 | DynaGuard™ CMS for video management |
| ● 支援多款手機監控 (iPhone, Android and Blackberry) | Mobile View (iPhone, Android and Blackberry support) |

產品規格、價格及其供應如有更改，恕不另行通知。 All Specifications, prices and availability subject to change without notice.

12

產品編號 Code 產品型號及描述 Model No. and Description 價目 Price (HK\$) 存倉 Stocks

89-48-0005

W5-A 2.0M(12.5ips) WDR IR IP Bullet Camera

歡迎查詢

訂購

Please ask


Booking



IP66

紅外線
輔助照明

- f3-9mm/ F1.2 電動光學變焦鏡頭
f3-9mm/ F1.2 Motorized optical zoom lens
- IP66 防塵防水規格
IP66 Ingress protection
- PoE / DC12V / AC24V 電源
PoE / DC12V / AC24V power supply
- 紅外線照射距離達 25 米
Effective IR range up to 25m



89-48-0073


DynaColor NH073 2.0M (25ips) WDR 18x IP Bullet Camera (f4.7~84.6mm)

歡迎查詢

訂購


Please ask

Booking



18X
光學變焦

- f4.7-84.6mm 18x 電動光學變焦鏡頭
F4.7-84.6mm 18x Motorized optical zoom lens
- 支援 PoE / DC12V / AC24V 電源輸入
Support PoE / DC12V / AC24V power input
- 內建自動開關紅外光過濾片
Removable IR cut (ICR) Filter



Unit: (mm)

歡迎垂詢會員及工程項目優惠價 Special offer for members and projects, please ask

- | | |
|---|--|
| ● 採用逐行掃描 CMOS 感光元件 | Progressive High resolution CMOS |
| ● 寬動態 | Wide Dynamic Range |
| ● 二百萬像素 | Up to 2 Mega pixel |
| ● 3D 數碼降噪 | 3D Digital noise reduction |
| ● 支援 Micro SDHC 卡 (容量高達 32GB) | Support Micro SD memory card |
| ● 支援 DynaGuard™ CMS 中央監控軟件 | DynaGuard™ CMS for video management |
| ● 支援多款手機監控 (iPhone, Android and Blackberry) | Mobile View (iPhone, Android and Blackberry support) |

產品規格、價格及其供應如有更改，恕不另行通知。 All Specifications, prices and availability subject to change without notice.

13