











Your Premier Cable Innovator

WECLonline.com 📞 SALES HOTLINE
(852) **3182 0888**

With over 20 years in Structured Cabling systems and accessories, MIZU possesses a wealth of experience in delivering high-quality and cost-effective products to achieve your performance goals.

TELECOMMUNICATION

CAT. 5E				
	UTP Patch Cord, (52-31)	FTP Patch Cord, (52-32)	4 pair UTP Cable, 100m (53-39-0100)	4 pair UTP Cable, 305m (53-39-2005)
PRODUCT PHOTO				
DETAILS	<ul style="list-style-type: none"> ▶ ETL/ RoHS Approval ▶ Resilient and softness 	<ul style="list-style-type: none"> ▶ ETL/ RoHS Approval ▶ Aluminum foil for shielding ▶ Resilient and softness 	<ul style="list-style-type: none"> ▶ ANSI/TIA/EIA 568B.2 and ISO11801 	<ul style="list-style-type: none"> ▶ ISO/IEC 11801; IEC 61156-5; EN50173; EN50288-3-1; TIA/EIA -568B.2
LENGTH	0.5m, 1m, 2m, 3m, 5m, 10m, 15m, 20m, 25m, 30m	0.5m, 1m, 2m, 3m, 5m, 10m, 15m, 20m, 25m, 30m		
COLOR				

CAT. 6			
	UTP Patch Cord, 250Mhz (52-33)	SSTP Patch Cord, 250Mhz (52-34)	4 pair UTP Cable, 305m (53-39-6305)
PRODUCT PHOTO			
DETAILS	<ul style="list-style-type: none"> ▶ ETL/ RoHS Approval ▶ Resilient and softness 	<ul style="list-style-type: none"> ▶ ETL/ RoHS Approval ▶ Double-layered aluminum foil for shielding ▶ Resilient and softness 	<ul style="list-style-type: none"> ▶ ISO/IEC 11801 Category 6, TIA/EIA-568-B.2-1; IEC 61156-5 ; EN50173
LENGTH	0.5m, 1m, 2m, 3m, 5m, 10m, 15m, 20m, 25m, 30m	0.5m, 1m, 2m, 3m, 5m, 10m, 15m, 20m, 25m, 30m	
COLOR			






華輝無線電行有限公司
Welfare Electronic Component Ltd. Fax: (852) 3182 0808 E-mail: cs@wecl.com.hk

寫字樓 Main office:
香港九龍深水埗長沙灣道199號長樂大廈1樓全層
1/F, Cheong Lok Building, 199 Cheung Sha Wan Road, Sham Shui Po, Kowloon, Hong Kong











門市 Retail Shop:
香港九龍深水埗鴨寮街201號明珠樓地下及1樓全層
G/F & 1/F, Ming Chu Building, 201 Apliu Street, Sham Shui Po, Kowloon, Hong Kong

FIBER OPTICS





	OM1 Multimode Duplex Fiber Cord, 62.5/125 μ m (52-35)	OM3 Multimode Duplex Fiber Cord, 50/125 μ m (52-36)	OS1 Singlemode Duplex Fiber Cord, 9/125 μ m (52-37)
PRODUCT PHOTO			
DETAILS	<ul style="list-style-type: none"> ▶ UL certification ▶ Insertion Loss < 0.3dB ▶ LC-LC, SC-LC, SC-SC 	<ul style="list-style-type: none"> ▶ UL certification ▶ Insertion Loss < 0.3dB, Support for 10G Ethernet ▶ LC-LC, SC-LC, SC-SC 	<ul style="list-style-type: none"> ▶ UL certification ▶ Insertion Loss < 0.3dB ▶ LC-LC, SC-LC, SC-SC
LENGTH	1m, 2m, 3m, 5m, 7m, 10m, 15m, 20m, 25m, 30m	1m, 2m, 3m, 5m, 7m, 10m, 15m, 20m, 25m, 30m	1m, 2m, 3m, 5m, 7m, 10m, 15m, 20m, 25m, 30m

AUDIO







COAXIAL CABLE

	50 Ω Coaxial Cable, Braiding 90% Coverage	75 Ω Coaxial Cable, Braiding 85.6% Coverage	75 Ω Coaxial Cable, Braiding 90% Coverage	75 Ω Coaxial Cable, Braiding 35% Coverage	Coaxial Cable, Aluminum Braiding 65% Coverage
PRODUCT PHOTO	 	 	 	 	 
LENGTH	• 300ft (53-30-0058)	• 300ft (53-30-0032)	• 300ft (53-30-1500) • 600ft (53-30-1059)	• 200m (53-30-1032)	• 100m (53-30-3059) • 200m (53-30-2059)
COLOR	■	■	■	□	■

MICROPHONE CABLE





	2 conductor (20x0.18mm) Cotton Thread Microphone Cable, Diameter: 5.9mm (53-37-0220)	2 conductor (12X0.18mm) Cotton Thread Microphone Cable, Diameter: 6mm (53-37-0212)
PRODUCT PHOTO	 	 
LENGTH	• 300ft	• 300ft
COLOR	■	■

SPEAKER CABLE

	19x0.2mm Speaker Cable	19x0.3mm Speaker Cable	2x90/0.12mm Speaker Cable (53-33-0070)
PRODUCT PHOTO			
LENGTH	<ul style="list-style-type: none"> 100m (53-33-0902) 200m (53-33-1902) 	<ul style="list-style-type: none"> 100m (53-33-0903) 200m (53-33-1903) 	<ul style="list-style-type: none"> 300ft
COLOR			

ACCESS CONTROL/ CONTROL

MULTI-CORE CONTROL CABLE











	8core 0.5mm ² MVVS Cotton thread Cable, Diameter: 8.8mm (53-38-0820)	4core 0.3mm ² MVVS Cotton thread Cable, Diameter: 5.7mm (53-38-0412)
PRODUCT PHOTO		
DETAILS		
LENGTH	<ul style="list-style-type: none"> 300ft 	<ul style="list-style-type: none"> 300ft
COLOR		

ACCESSORIES

KEYSTONE JACK

	Cat.3 RJ11 Jack UTP (52-08-0404)	Cat.5e RJ45 Jack UTP (52-08-0001)	Cat.5e RJ45 Jack Shielded (52-08-0508)	Cat.6 RJ45 Jack UTP Tool-less (52-08-6001)	Cat.6 RJ45 Jack Tool-less Shielded (52-08-6008)
PRODUCT PHOTO					

SNAP-IN MODULE

	Banana (52-08-0105)	Blank (52-08-0006)	BNC (52-08-0101)	Type F (52-08-0104)	HDMI (52-08-8002)	RCA (52-08-0109)	ST (Multimode) (52-08-0114)	SC (Multimode) (52-08-0111)
PRODUCT PHOTO								
COLOR								

PATCH PANEL

	Cat. 5e	Cat. 6	Patch Panel Blank	Cable Management Rack
	<p>Cat. 5e 1U 24 Port (52-08-0024)</p> <p>Cat. 5e 2U 24 Port Shielded (52-08-1024)</p>	<p>Cat. 6 1U 24 Port (52-08-0624)</p> <p>Cat. 6 1U 24 Port Shielded (52-08-1624)</p>	<p>1U 16 Port (52-08-0316)</p> <p>2U 24 Port (52-08-0324)</p> <p>2U 32 Port (52-08-0332)</p>	<p>1U (52-08-1401)</p> <p>2U (52-08-0402)</p> <p>D-Ring (52-08-0403)</p>
PRODUCT PHOTO				


I-JOINT

	<p>Cat.6 RJ45 I-Joint (52-08-0020)</p>
PRODUCT PHOTO	

TOOLS

	<p>Cable Stripper & 110/ Krone Punch Down Tool (52-08-1101)</p>	<p>Mini Patch Tester (88-20-0400)</p>
PRODUCT PHOTO		

CE CERTIFIED PDU SOCKET

	<ul style="list-style-type: none"> • Surge Protector 6 Gang BS1363 Socket, 13A (88-18-0074) • 6 Gang BS1363 Socket with LCD Display, 13A (88-18-0073) • 7 Gang BS1363 Socket, 13A (88-18-0071) • 7 Gang BS1363 Socket, C14 (88-18-0072) • 8 Gang IEC320 Socket, (88-18-0080) • 8 Gang IEC320 Socket, 13A (88-18-0081) • 8 Gang IEC320 Socket, C14 (88-18-0082)
PRODUCT PHOTO	

SERVICE MOUNT BOX

	<ul style="list-style-type: none"> • Cat.5e Dual Box (52-08-0602) • Cat.5e Dual Box Shielded (52-08-0702) • Cat.5e Single Box Shielded (52-08-0701) • 4-Port Snap-In Module Wall Box (52-08-0204) • 6-Port Snap-In Module Wall Box (52-08-0206)
PRODUCT PHOTO	

FACE PLATE

	<ul style="list-style-type: none"> • 1-Port, Shuttered (52-08-1001) • 1-Port, Non-Shuttered (52-08-2002) • 1-Port, Shuttered, Angle (52-08-1004) • 2-Port, Shuttered (52-08-1002) • 2-Port, Non-Shuttered (52-08-2004) • 2-Port, Shuttered, Angle (52-08-1003) • 4-Port, Non-Shuttered (52-08-0120) • 4-Port, Shuttered (52-08-0007) • Snap-In Module Wall Plate For one 2-Port (52-08-0015) • Snap-In Module Wall Plate For two 2-Port (52-08-0113)
PRODUCT PHOTO	