



日本No.1品牌

華輝
WECL
特約經銷商

- ★日本No. 1公共廣播、專業音響及通訊品牌
- ★於日本擁有極高市場佔有率
- ★香港多間政府機構、大型商場
工商大廈及運動場採用



公共廣播系統、專業音響設備及通訊設備

TOA Product Catalog

- ▶ 混音擴音機
- ▶ 各式喇叭
- ▶ 語音播放器
- ▶ 汽車廣播擴音機
- ▶ 手提大聲公
- ▶ 有線/無線咪高峰



Your Professional Audio Equipment Partner
您的專業音響合作夥伴



目錄 Index



內容 Content

頁 Page

關於 TOA	About TOA	2
華輝香港代理證書	Certificate of Authorization	3
成功案例	Successful Case	4
TOA 產品應用	TOA Products Application	5
混音擴音機	Mixing Amplifiers	6
語音播放器	Digital Record/Play Back Announcer	17
天花喇叭	Ceiling Speaker	18
號角指向喇叭	Horn Speaker	23
寬頻域指向喇叭	Wide Range Sound Projector	25
掛牆揚聲器 100V	Wall Mount Speaker	27
掛牆揚聲器 8Ω	Wall Mount Speaker	32
週邊配件	Accessory	33
手提大聲公	Megaphone	35
有線咪高峰	Microphone	41
射頻無線咪	RF Wireless Microphone	43
紅外線無線咪	IR Wireless Microphone	47
網絡影音傳送器	Network Transceiver	50

產品規格、價錢及其供應如有更改，恕不另行通知。 All Specifications, Price and Availability are subject to change without notice.

1

關於 TOA

Tsunetaro Nakatani 先生是 TOA 的創始人，他由 1934 年以製造話筒而創立東亞電器製造有限公司。今天，TOA 不僅放眼於日本市場，反而即積極地研發公共廣播設備，專業音響設備，通訊設備和其他資訊傳輸設備並成為世界領先的製造商。

TOA 的產品應用至不同的層面，包括寫字樓、機場、鐵路車站、地下鐵路、會堂、學校、百貨商場、運動場、體育館、醫院、酒店、多功能廳、劇場、電影院、會議中心、遊樂園及餐館等。

About TOA

TOA's founder, Mr. Tsunetaro Nakatani, started Toa Electric Manufacturing Co., Ltd. with making microphones since 1934. Today, TOA is not only focus in Japan, but the world leading manufacturer of public address and broadcasting equipment, communications equipment and other information transmission equipment.

TOA's products supply to different segment including Office buildings, Airports, Railway stations, Underground railways, Halls, Schools, Department stores, Athletic stadiums and Gymnasiums, Hospitals, Hotels, Function rooms, Theaters and Cinemas, Convention Centers, Amusement parks, Restaurants etc.

產品規格、價錢及其供應如有更改，恕不另行通知。 All Specifications, Price and Availability are subject to change without notice.

2



特約系統方案合作夥伴認定書
Certificate of Authorized Solution Partner

<認定編號：THL-120103>

我司認定 華輝無線電行有限公司 為特約系統方案合作伙伴。

認定期間：至 2012 年 12 月為止

This is to certify that **Welfare Electronic Component Ltd.** to be our authorized solution partner.

Validity: Till December 2012

TOA (香港) 有限公司

董事長：堀田昌人
2012 年 1 月 1 日

※本認定書必須是有 TOA (香港) 有限公司代表者簽名之原件才有效

其他任何複製件均被視為無效，同時嚴禁複製和轉載

產品規格、價錢及其供應如有更改，恕不另行通知。 All Specifications, Price and Availability are subject to change without notice.

3

Beijing National Stadium (The Bird's Nest) 北京國家體育場鳥巢

SX-2000 Series Matrix system and VX-2000 Series Integrated Emergency Public Address system provides background music and general announcements, it offers easy selection of multiple sound sources for free broadcast to multiple areas with combination of HX-5 Series Variable Dispersion speakers and ceiling mounted speakers for smooth sound distribution.



Tseung Kwan O Sports Ground 將軍澳運動場

SX-2000 network system installed for both general and emergency broadcast, paging in the designated zones can be done from distant areas with the assistance of remote microphones, and comprehensive emergency broadcast enables swift and efficient evacuation.

Hong Kong Science Park Phase II 香港科學園二期

Several VX-2000 systems installed in order to satisfy the high audio demand. And voice evacuation system installed complies with EN60849/IEC60849 standards which enables concurrent dual-origin emergency message broadcast.



Two International Finance Centre (IFC II) 國際金融中心二期


It is designed for accommodating various financial institutions including Hong Kong Monetary Authority. Here, TOA SX-1000 matrix system provides pleasant sound distribution to corresponding zones in daily operation and simultaneous dual broadcasting in different areas in emergent events.

Princess Margaret Hospital 瑪嘉烈醫院

TOA N-8000 IP telephone-based system provides fluent communication in emergent situations, emergency call to master stations and analog telephones, all-group paging to all stations and PA equipment to notify all the staff to prepare for unprecedented exigent events.




System Overview




應用範圍:
演講廳
學校禮堂
百貨公司
零售商店

System Overview



應用範圍:
公司會議室
酒店會議廳

System Overview



應用範圍:
演講廳
學校禮堂
新聞發佈廳
餐廳飯店
酒吧
百貨公司
零售商店
電影院
劇場

產品規格、價錢及其供應如有更改，恕不另行通知。 All Specifications, Price and Availability are subject to change without notice.

5

產品編號 Code	產品型號及描述 Model No. and Description	價目 Price (HK\$)	存貨 Stocks
28-01-1706 / 28-01-1712 28-01-1724	A1700 Series Mixing Amp. A-1706 (60W) (28-01-1706) A1700 Series Mixing Amp. A-1712 (120W) (28-01-1712) A1700 Series Mixing Amp. A-1724 (240W) (28-01-1724) - Input: 6*MIC, 5*AUX (9 input max.), PWR AMP IN: RCA pin jack 2 區喇叭選擇 - Phantom Power(幻象電源) Provided with switch setting - 支援 DC24V 電池工作	歡迎查詢 Please ask	現貨 Available
多咪輸入 禮堂專用			
28-01-1803 / 28-01-1806 28-01-1812	A1800 Series Mixing Amp. A-1803 (30W) (28-01-1803) A1800 Series Mixing Amp. A-1806 (60W) (28-01-1806) A1800 Series Mixing Amp. A-1812 (120W) (28-01-1812) - Input: 3*MIC, 3*AUX 2 區喇叭選擇 - 支援 Music On Hold - 支援 PABX 電話系統呼叫 - 消防/電話輸入時強切背景音樂，並強行接通所有通道廣播緊急訊息。 - Phantom Power(幻象電源) Provided with switch setting - 支援 DC24V 電池工作	歡迎查詢 Please ask	現貨 Available
甲級商廈專用 支援消防/電話廣播			
28-06-1812	P1800 Power Booster Series P-1812 (120W) - Rated output: 120W - Input: 1* RCA pin jack - Output: 1*RCA pin jack/M4 screw terminal - 配合 A-1800 系列使用，發揮強切功能。 - 支援 DC24V 電池工作	歡迎查詢 Please ask	現貨 Available

歡迎垂詢會員及工程項目優惠價 Special offer for members and projects, please ask.

功率選擇 Tips

功率	覆蓋範圍
30W	2000 尺
60W	4000 尺
120W	8000 尺
240W	20000 尺

產品規格、價錢及其供應如有更改，恕不另行通知。 All Specifications, Price and Availability are subject to change without notice.

6


產品編號 Code	產品型號及描述 Model No. and Description	價目 Price (HK\$)	存貨 Stocks
28-01-1120 / 28-01-1241	A1000 Series Mixing Amp. A-1120SS (120W) (28-01-1120) A1000 Series Mixing Amp. A-1240SS (240W) (28-01-1241)	歡迎查詢 Please ask	現貨 Available
5 區選擇 酒樓宴會首選	● Input: 3*MIC, 2*AUX ● 頻率響應: 50-18,000Hz (±3dB) ● MIC 1 支援權限覆蓋功能 ● 5 區喇叭選擇		
	A2000 Series Mixing Amp. A-2030 (30W) (28-01-2030)	歡迎查詢	現貨
	A2000 Series Mixing Amp. A-2060 (60W) (28-01-2060)	Please ask	Available
	A2000 Series Mixing Amp. A-2120 (120W) (28-01-2121) A2000 Series Mixing Amp. A-2240 (240W) (28-01-2241)		
美食廣場 時裝零售首選	● Input: 2*MIC, 2*AUX ● MIC 1*DIN Socket(5 pins), Support Phantom Power, 權限覆蓋功能 ● 頻率響應: 50-16,000Hz (±3dB) ● 支援 DC24V 電池工作		
	P2000 Power Booster Series P-2240 (240W)	歡迎查詢	現貨
	● Rated output: 240W ● Input: 1*AUX, 1*40dB 100V line in ● Output: 1*screw terminal ● 支援 DC24V 電池工作	Please ask	Available

歡迎垂詢會員及工程項目優惠價 Special offer for members and projects, please ask.

產品規格、價錢及其供應如有更改，恕不另行通知。 All Specifications, Price and Availability are subject to change without notice.

7

TOA VM-2000 系列智慧型業務緊急兼用廣播設備，除了既有廣播系統及 BGM 背景音樂播放，其完善之系統運作可確實地掌握各種緊急狀況，有效地藉由全區廣播、選擇性分區廣播或於整體建築優先放送之緊急廣播，將訊息傳達予建築物中之人群，對於緊急事件作即時的警報。而且應用範圍非常廣泛，包括辦公大樓、學校、購物中心、超級市場、工廠、醫院等，構成完整之防災避難廣播系統。



產品規格、價錢及其供應如有更改，恕不另行通知。 All Specifications, Price and Availability are subject to change without notice.

8


產品編號 Code	產品型號及描述 Model No. and Description	價目 Price (HK\$)	存貨 Stocks
28-01-2240	VM-2000 “Venas” Integrated Voice Evacuation System VM-2240 (240W) ● 支援 5 區獨立廣播及調較音量 ● 支援緊急廣播預錄訊息*或咪高峰廣播 *需配合 EV-200M 使用	歡迎查詢 Please ask	現貨 Available
28-16-2004	EV-200M Voice Announcement Board (W/RAM) ● Single source playback ● No. of Playback Program: 8 programs	歡迎查詢 Please ask	訂購 Booking
28-20-0200	RM-200M Remote Microphone (VM Series) ● Zones 1-5 、 Zones 1-10 (2 stacked amp.) 、 Group 1-2 & All-zone Broadcast ● 啟動緊急廣播預錄訊息或按緊急廣播以咪高峰廣播 ● 咪高峰音量調節	歡迎查詢 Please ask	現貨 Available

歡迎垂詢會員及工程項目優惠價 Special offer for members and projects, please ask.

產品規格、價錢及其供應如有更改，恕不另行通知。 All Specifications, Price and Availability are subject to change without notice.

9

TOA VM-3000 系列智慧型業務緊急兼用廣播設備，適用於中、小型系統，不單支援廣播系統及 BGM 背景音樂播放，更支援全區廣播、選擇性分區廣播或於整體建築優先放送之緊急廣播，將訊息傳達予建築物中之人群，對於緊急事件作即時的警報。而且應用範圍非常廣泛，包括辦公大樓、學校、購物中心、超級市場、工廠、醫院等，構成完整之防災避難廣播系統。




產品規格、價錢及其供應如有更改，恕不另行通知。 All Specifications, Price and Availability are subject to change without notice.

10

TOA M-9000 系列數位矩陣混音器，是市面上集最多區域業務廣播音樂分配和室內音頻處理等應用領域的多功能混音理想器材。適用於餐廳、百貨公司、零售商店、酒吧等。


飯店/宴會：室內混音



應用

- 餐廳飯店
- 百貨公司/零售商店
- 訓練/教育機構
- 酒吧/遊樂場/俱樂部
- 休閒室/俱樂部
- 公司/集團會議室
- 各類商務會議廳
- 健身中心/健身房
- 廠房/車間/生產線
- 教堂/寺廟/展覽中心
- 博物館/醫院/康復機構
- 辦公室/接待廳
- 新聞發佈廳
- 交通樞紐站

飯店/酒吧：多種A/V音源，點唱機和區域廣播系統



應用

- 餐廳飯店
- 百貨公司/零售商店
- 教育/培訓機構
- 酒吧/候機室/俱樂部
- 健身俱樂部/會議室/體育館/學校
- 銀行/金融/保險機構/醫院/康復治療中心
- 展覽中心/博物館
- 會議報告廳/演藝廳/劇場/禮堂/電影院
- 新聞發佈廳
- 主題公園/娛樂廣場
- 機場/車站等

產品規格、價錢及其供應如有更改，恕不另行通知。 All Specifications, Price and Availability are subject to change without notice.

11

產品編號 Code	產品型號及描述 Model No. and Description	價目 Price (HK\$)	存貨 Stocks
28-16-9002	M-9000M2 Digital Matrix Mixer (8 in/ 8 out Max.) 8 組輸入及 8 組輸出及每區獨立播放 - 圖像化介面設定 - 支援接駁不同模塊	歡迎查詢 Please ask	現貨 Available
28-16-4001	C-001T Input/Output Control Module 獨立 8 組輸入及 8 組輸出	歡迎查詢 Please ask	現貨 Available
28-16-1001	D-001T Dual Microphone/Line Input Module 兩組獨立平衡輸入及支援 Phantom Power(幻象電源)	歡迎查詢 Please ask	現貨 Available
28-16-0001	T-001T Dual Line Out Expansion Module with DSP - 兩組獨立平衡輸出 - 支援輸出獨立支援 TONE/EQ/COMPRESSOR	歡迎查詢 Please ask	現貨 Available
28-16-3001	AN-001T Ambient Noise Control Module 兩組環境噪音輸入及支援 Phantom Power(幻象電源)	歡迎查詢 Please ask	訂購 Booking
28-16-9001	ZM-9001 Remote Panel 6 組遙控面板	歡迎查詢 Please ask	訂購 Booking
28-20-9001	AN-9001 Ambient Noise Sensing Mic. - 環境噪聲檢測 9 級增量 -60 dB to -10 dB	歡迎查詢 Please ask	訂購 Booking
28-06-0250	DA-250FH 250Wx4 Power Amp (100V Hi.imp Output) 4 channel 獨立電源輸出 250 W × 4 (70/100V, M4 screw terminal)	歡迎查詢 Please ask	現貨 Available
28-06-4500	DA-500FH 500Wx4 Power Amp (100V Hi.imp Output) 4 channel 獨立電源輸出 500 W × 4 (100 V, M4 screw terminal)	歡迎查詢 Please ask	現貨 Available


歡迎垂詢會員及工程項目優惠價 Special offer for members and projects, please ask.

產品規格、價錢及其供應如有更改，恕不另行通知。 All Specifications, Price and Availability are subject to change without notice.

12

TOA VX-2000 系列，滿足了大規模建築物或環境中對一般廣播的各式需求，屬複合性安裝，配置簡便。整個系統主要包含系統管理主機、監測用機框、功率放大器、電源供應器、緊急電源供應器、遙控麥克風，而且完全符合 EN60849/IEC60849 國際標準。

System Configuration





產品規格、價錢及其供應如有更改，恕不另行通知。 All Specifications, Price and Availability are subject to change without notice.

13

TOA SX-2000 系列可經由網路連線方式安裝於多重地點，便於有效地進行系統的集中管理，為高性能系統建立了新標竿。中央控制方式讓 SX-2000 系列的系統組件可以分散設置於不同的地點。

SX-2000 系統是專為大型場地，如：機場、車站、工廠、大型賣場、和大型辦公室等所設計。而且可選購相關消防配件，提升發生緊急狀態時的應對效率。




分散控制系統應用範例（大學）



產品規格、價錢及其供應如有更改，恕不另行通知。 All Specifications, Price and Availability are subject to change without notice.

14

TOA TS-770 會議系統給會議室帶來多模式遠端會議功能，只需一條標準電話線，一個手機或基於 PC 的 IP 技術即可實現。它擁有一系列保障音質清晰，提高會議效率和效能的特性，表現非常顯著。




產品規格、價錢及其供應如有更改，恕不另行通知。 All Specifications, Price and Availability are subject to change without notice.

15

TOA N-8000 系列運用「Packet Audio」技術的 IP 網路對講系統。可連接既有的區域網路(LAN)、網際網路(WAN)及光纖網路，進行對講機間相互通話、呼叫廣播、定時廣播及 BGM 廣播等多樣化功能。

System Configuration



產品規格、價錢及其供應如有更改，恕不另行通知。 All Specifications, Price and Availability are subject to change without notice.

16

產品編號 Code	產品型號及描述 Model No. and Description	價目 Price (HK\$)	存貨 Stocks
28-16-0020	EV-20R Sound Repeater - Wave format: 44.1 kHz, 16-bit PCM - Recording System: USB data transfer and analog recording - Max No. of message: 4 Group Max Recording time: 6min - Input: 1*MIC, LINE - Output: 1*Headphone, 1*Speaker	歡迎查詢 Please ask	現貨 Available
28-16-0350	EV-350R(H) Digital Record/Play Back Announcer - Output: 2* M3.5 screw terminal + 1*phone jack - Input: 1*phone jack + 1* RCA pin jack - Back: 8 program (1 Emergency message override BGM) - No. of Mountable Memory Card: 2 (Memory Card is not included)	歡迎查詢 Please ask	訂購 Booking
28-16-0128	EV-CF128M R.M. Card (For EV350R) Memory Capacity: 128MB (Support 4h26min Recording Max.)	歡迎查詢 Please ask	訂購 Booking

歡迎垂詢會員及工程項目優惠價 Special offer for members and projects, please ask.

產品規格、價錢及其供應如有更改，恕不另行通知。 All Specifications, Price and Availability are subject to change without notice.

17

產品編號 Code	產品型號及描述 Model No. and Description	價目 Price (HK\$)	存貨 Stocks
28-10-0648	6W 天花揚聲器 PC-648R (6W) - Rated Input: 70/100V - Power Output: 6/3/1W@100V - Frequency Response: 100-18,000Hz (頻率響應: 100-18,000Hz) - Sensitivity: 90dB (靈敏度: 90dB) - Speaker Mounting Method: Spring clamp - Φ168x77(D)mm	歡迎查詢 Please ask	現貨 Available
28-10-0658	6W Hi-Fi 天花喇叭 PC-658R (6W) - Rated Input: 70/100V - Power Output: 6/3/1W@100V - Frequency Response: 65-18,000Hz (頻率響應: 65-18,000Hz) - Sensitivity: 90dB (靈敏度: 90dB) - Speaker Mounting Method: Spring clamp - Φ192x73(D)mm	歡迎查詢 Please ask	現貨 Available
28-10-1869	6W Hi-Fi 天花喇叭 PC-1869 (6W) - Rated Input: 70/100V - Power Output: 6/3/1.5/0.8W@100V - Frequency Response: 55-18,000Hz (頻率響應: 55-18,000Hz) - Sensitivity: 90dB (靈敏度: 90dB) - Speaker Mounting Method: Spring clamp - Φ180x72(D)mm	歡迎查詢 Please ask	現貨 Available
28-10-2369	6W Hi-Fi 天花喇叭 PC-2369 (6W) - Rated Input: 70/100V - Power Output: 6/3/1.5/0.8W@100V - Frequency Response: 45-20,000Hz (頻率響應: 45-20,000Hz) - Sensitivity: 93dB (靈敏度: 93dB) - Speaker Mounting Method: Spring clamp - Φ230x79(D)mm	歡迎查詢 Please ask	現貨 Available

歡迎垂詢會員及工程項目優惠價 Special offer for members and projects, please ask.

產品規格、價錢及其供應如有更改，恕不另行通知。 All Specifications, Price and Availability are subject to change without notice.

18

產品編號 Code	產品型號及描述 Model No. and Description	價目 Price (HK\$)	存貨 Stocks
28-10-2268	6W “防火 HIPS 樹脂” 吸頂式天花喇叭 PC-2268 (6W) - Rated Input: 70/100V - Power Output: 6/3/1.5/0.8W@100V - Frequency Response: 160-14,000Hz (頻率響應: 160-14,000Hz) - Sensitivity: 90dB (靈敏度: 90dB) - Speaker Mounting Method: Exposed Installed - Φ220x80.5(D)mm	歡迎查詢 Please ask	現貨 Available
28-10-1867	6W Fire dome 天花喇叭 PC-1867FC (6W) - Rated Input: 70/100V - Power Output: 6/3/1.5/0.8W@100V - Frequency Response: 100-16,000Hz (頻率響應: 100-16,000Hz) - Sensitivity: 90dB (靈敏度: 90dB) - Speaker Mounting Method: Spring clamp - Φ180x11(D)mm	歡迎查詢 Please ask	現貨 Available
28-10-2668	6W 吸頂式天花喇叭 PC-2668 (6W) - Rated Input: 70/100V - Power Output: 6/3/1.5/0.8W@100V - Frequency Response: 100-16,000Hz (頻率響應: 100-16,000Hz) - Sensitivity: 90dB (靈敏度: 90dB) - Speaker Mounting Method: Exposed Installed - Φ260x92(D) (Exposed section)mm	歡迎查詢 Please ask	現貨 Available

歡迎垂詢會員及工程項目優惠價 Special offer for members and projects, please ask.

產品規格、價錢及其供應如有更改，恕不另行通知。 All Specifications, Price and Availability are subject to change without notice.

19

產品編號 Code	產品型號及描述 Model No. and Description	價目 Price (HK\$)	存貨 Stocks
28-10-2852	15W 2way Hi-Fi 天花喇叭 PC-2852 (15W) - Rated Input: 70/100V - Power Output: 15/10/5/3W@100V - Frequency Response: 45-20,000Hz (頻率響應: 45-20,000Hz) - Sensitivity: 96dB (靈敏度: 96dB) - Speaker Mounting Method: Spring catch - Φ280x92(D)mm	歡迎查詢 Please ask	現貨 Available
28-10-2869	6W Hi-Fi 天花喇叭 PC-2869 (15W) - Rated Input: 70/100V - Power Output: 6/3/1.5/0.8W@100V - Frequency Response: 40-20,000Hz (頻率響應: 40-20,000Hz) - Sensitivity: 94dB (靈敏度: 94dB) - Speaker Mounting Method: Spring catch - Φ280x92(D)mm	歡迎查詢 Please ask	訂購 Booking
28-10-1522	6W Wide-Dispersion Hi-Fi 天花喇叭 F-1522SC (6W) - Rated Input: 25/70/100V - Power Output: 6/3W@100V - Frequency Response: 65-18,000Hz@-10dB/45-20,000Hz@-20dB (頻率響應: 65-18,000Hz@-10dB)/45-20,000Hz@-20dB) - Sensitivity: 88dB (靈敏度: 88dB) - Φ155x117(D)mm	歡迎查詢 Please ask	訂購 Booking
28-10-2352	6W Wide-Dispersion Hi-Fi 天花喇叭 F-2352SC (6W) - Rated Input: 25/70/100V - Power Output: 6/3/1/0.5W@100V - Frequency Response: 80-20,000Hz@-10dB/50-20,000Hz@-20dB (頻率響應: 80-20,000Hz@-10dB/50-20,000Hz@-20dB) - Sensitivity: 89dB (靈敏度: 89dB) - Φ230x154(D)mm	歡迎查詢 Please ask	現貨 Available

歡迎垂詢會員及工程項目優惠價 Special offer for members and projects, please ask.


產品規格、價錢及其供應如有更改，恕不另行通知。 All Specifications, Price and Availability are subject to change without notice.

20

產品編號 Code	產品型號及描述 Model No. and Description	價目 Price (HK\$)	存貨 Stocks
28-10-2322	30W Wide-Dispersion Hi-Fi 天花喇叭 F-2322C (30W) - Rated Input: 25/70/100V - Power Output: 30/10/3/1W@100V - Frequency Response: 70-20,000Hz@-10dB/50-20,000Hz@-20dB (頻率響應: 70-20,000Hz@-10dB/50-20,000Hz@-20dB) - Sensitivity: 90dB (靈敏度: 90dB) - Φ230x200(D)mm	歡迎查詢 Please ask	訂購 Booking
28-10-3352	30W 2way Wide-Dispersion Hi-Fi 天花喇叭 F-2352C (30W) - Rated Input: 25/70/100V - Power Output: 30/10/3/1W@100V - Frequency Response: 70-20,000Hz@-10dB/50-20,000Hz@-20dB (頻率響應: 70-20,000Hz@-10dB/50-20,000Hz@-20dB) - Sensitivity 靈敏度: 91dB - Φ230x229(D)mm	歡迎查詢 Please ask	訂購 Booking
28-10-3852	60W 2way Wide-Dispersion Hi-Fi 天花喇叭 F-2852C (60W) - Rated Input: 25/70/100V - Power Output: 60/30/15/3W@100V - Frequency Response: 60-20,000Hz@-10dB/45-20,000Hz@-20dB 頻率響應: 60-20,000Hz@-10dB/45-20,000Hz@-20dB - Sensitivity: 91dB (靈敏度: 91dB) - Φ280x227(D)mm	歡迎查詢 Please ask	訂購 Booking

歡迎垂詢會員及工程項目優惠價 Special offer for members and projects, please ask.

What is Wide dispersion ?



產品規格、價錢及其供應如有更改，恕不另行通知。 All Specifications, Price and Availability are subject to change without notice.

21

產品編號 Code	產品型號及描述 Model No. and Description	價目 Price (HK\$)	存貨 Stocks
28-10-1003	3W Sauna Rooms 天花喇叭 PC-3CL (3W) - Rated Input: 70/100V - Power Output: 3/1W@100V - Frequency Response: 150-20,000Hz (頻率響應: 150-20,000Hz) - Sensitivity: 87dB (靈敏度: 87dB) - Φ139x104.5(D)mm	歡迎查詢 Please ask	現貨 Available
28-10-0003	3W 浴室天花揚聲器 PC-3WR (3W) - Rated Input: 100V - Power Output: 3/1W@100V - Frequency Response: 180-20,000Hz (頻率響應: 180-20,000Hz) - Sensitivity: 88dB (靈敏度: 88dB) - Φ180x120(D)mm	歡迎查詢 Please ask	訂購 Booking
28-10-0760 / 28-10-0960	天花喇叭 CM-760+CP-73 (6W) (28-10-0760) 天花喇叭 CM-960+CP-93 (6W) (28-10-0960) - Rated Input: 100V - Power Output: 6/3/1.5/0.8W@100V - Frequency Response: 100-16,000Hz (頻率響應: 100-16,000Hz)/ Frequency Response: 100-12,000Hz (頻率響應: 100-12,000Hz) - Sensitivity: 90dB/92dB (靈敏度: 90dB/92dB) - Front Grille: Φ180x11(D)mm/Φ230x12(D)mm 面網: Φ180x11(D)mm/Φ230x12(D)mm	歡迎查詢 Please ask	訂購 Booking

歡迎垂詢會員及工程項目優惠價 Special offer for members and projects, please ask.

產品規格、價錢及其供應如有更改，恕不另行通知。 All Specifications, Price and Availability are subject to change without notice.

22

產品編號 Code	產品型號及描述 Model No. and Description	價目 Price (HK\$)	存貨 Stocks
28-07-0610 / 28-07-0615 28-07-0630	Horn Speaker 號角指向喇叭(100V) SC-610M (10W) (28-07-0610) Horn Speaker 號角指向喇叭(100V) SC-615M (15W) (28-07-0615) Horn Speaker 號角指向喇叭(100V) SC-630M (30W) (28-07-0630) - Rated Input: 70/100V - Power Output: 10/5/3/1W@100V/ Power Output: 15/10/5/3W@100V/ Power Output: 30/15/10/5W@100V - Frequency Response: 315-12,500Hz (頻率響應: 315-12,500Hz)/ Frequency Response: 280-12,500Hz (頻率響應: 280-12,500Hz)/ Frequency Response: 250-10,000Hz (頻率響應: 250-10,000Hz) - Sensitivity: 110dB/112dB/113dB at 1 kHz (靈敏度: 110dB/112dB/113dB at 1 kHz) - IP Rating: IP65 (防塵防水等級: IP65) 172(W)x161(H)x188(D)mm/ 222(W)x179(H)x234(D)mm/ 285(W)x227(H)x227(D)mm - Transformer included (附送變壓器)	歡迎查詢 Please ask	現貨 Available
28-07-0631	 30W Horn Speaker TC-631M (30W) - Rated Input: 70/100V - Power Output: 30/15/10/5W@100V - Frequency Response: 200-6,000Hz (頻率響應: 200-6,000Hz) - Sensitivity: 110dB (靈敏度: 110dB) - IP Rating: IP65 (防塵防水等級: IP65) - Φ500x463(D)mm - Transformer included (附送變壓器)	歡迎查詢 Please ask	訂購 Booking
28-07-0651	 50W Horn Speaker TC-651M (50W) - Rated Input: 70/100V - Power Output: 50/30/15W@100V - Frequency Response: 200-6,000Hz (頻率響應: 200-6,000Hz) - Sensitivity: 111dB (靈敏度: 111dB) - IP Rating: IP65 (防塵防水等級: IP65) - Φ400x376(D)mm	歡迎查詢 Please ask	訂購 Booking

產品規格、價錢及其供應如有更改，恕不另行通知。 All Specifications, Price and Availability are subject to change without notice.

23

產品編號 Code	產品型號及描述 Model No. and Description	價目 Price (HK\$)	存貨 Stocks
28-11-0610 / 28-11-6150 28-11-0630	Horn Speaker 號角指向喇叭(8Ω) SC-610 (10W) (28-11-0610) Horn Speaker 號角指向喇叭(8Ω) SC-615 (15W) (28-11-6150) Horn Speaker 號角指向喇叭(8Ω) SC-630 (30W) (28-11-0630) - Power Output: 10/15/30W Mobile Mount use: 5/10/15W - Frequency Response: 315-12,500Hz (頻率響應: 315-12,500Hz)/ Frequency Response: 280-12,500Hz (頻率響應: 280-12,500Hz)/ Frequency Response: 250-10,000Hz (頻率響應: 250-10,000Hz) - Sensitivity: 110dB/112dB/113dB at 1 kHz (靈敏度: 110dB/112dB/113dB at 1 kHz) - IP Rating: IP65 (防塵防水等級: IP65) 172(W)x161(H)x188(D)mm/ 222(W)x179(H)x234(D)mm/ 285(W)x227(H)x227(D)mm	歡迎查詢 Please ask	10/15W 訂購 Booking 30W 現貨 Available
28-11-0651	50W Horn Speaker(16Ω) SC-651 (50W) - Power Output: 50W - Mobile Mount use: 30W - Frequency Response: 250-6,000Hz (頻率響應: 250-6,000Hz) - Sensitivity: 109dB (靈敏度: 109dB) - IP Rating: IP65 (防塵防水等級: IP65) 430(W)x297.5(H)x327(D)mm	歡迎查詢 Please ask	訂購 Booking
28-11-2615	15W Horn Speaker(8Ω) TC-615 (15W) - Power Output: 15W - Frequency Response: 250-7,000Hz (頻率響應: 250-7,000Hz) - Sensitivity: 108dB (靈敏度: 108dB) - IP Rating: IP65 (防塵防水等級: IP65) - Φ400x376(D)mm	歡迎查詢 Please ask	訂購 Booking

歡迎垂詢會員及工程項目優惠價 Special offer for members and projects, please ask.

產品規格、價錢及其供應如有更改，恕不另行通知。 All Specifications, Price and Availability are subject to change without notice.

24

產品編號 Code	產品型號及描述 Model No. and Description	價目 Price (HK\$)	存貨 Stocks
28-15-0064	6W 寬頻域防水喇叭 CS-64 (6W) - Rated Input: 70/100V - Power Output: 6/3/1W@100V - Frequency Response: 130-13,000Hz (頻率響應: 130-13,000Hz) - Sensitivity: 96dB (靈敏度: 96dB) - IP Rating: IP64 (防塵防水等級: IP64) 233(W)x224(H)x208(D)mm	歡迎查詢 Please ask	現貨 Available
28-15-0154	15W 寬頻域防水喇叭 CS-154 (15W) - Rated Input: 70/100V - Power Output: 15/10/5W@100V - Frequency Response: 150-15,000Hz (頻率響應: 150-15,000Hz) - Sensitivity: 97dB (靈敏度: 97dB) - IP Rating: IP65 (防塵防水等級: IP65) 366(W)x230(H)x272(D)mm	歡迎查詢 Please ask	現貨 Available
28-15-0304	30W 寬頻域防水喇叭 CS-304 (30W) - Rated Input: 70/100V - Power Output: 30/20/10W@100V - Frequency Response: 120-15,000Hz (頻率響應: 120-15,000Hz) - Sensitivity: 98dB (靈敏度: 98dB) - IP Rating: IP65 (防塵防水等級: IP65) 366(W)x230(H)x272(D)mm	歡迎查詢 Please ask	現貨 Available

歡迎垂詢會員及工程項目優惠價 Special offer for members and projects, please ask.

產品規格、價錢及其供應如有更改，恕不另行通知。 All Specifications, Price and Availability are subject to change without notice.

25

產品編號 Code	產品型號及描述 Model No. and Description	價目 Price (HK\$)	存貨 Stocks
28-15-1064 / 28-15-1304	投射式同軸 “兩音路” 喇叭 (100V) PJ-64 (6W) (28-15-1064) 投射式同軸 “兩音路” 喇叭 (8 Ω / 100V) PJ-304 (30W) (28-15-1304) - Rated Input: 70/100 V (8 Ω 只適用於 PJ-304) - Power Output: 6/3/1W@100V Power Output: 30/20/15/10/5W@100V - Frequency Response: 100-18,000Hz (頻率響應: 100-18,000Hz) Frequency Response: 70-20,000Hz (頻率響應: 70-20,000Hz) - Sensitivity: 90dB/91dB (靈敏度: 90dB/91dB) - Φ186x369(H)xmm	歡迎查詢 Please ask	現貨 Available
28-19-0064 / 28-19-0304	垂吊型同軸 “兩音路” 喇叭 (100V) PE-64 (6W) (28-19-0064) 垂吊型同軸 “兩音路” 喇叭 (8 Ω / 100V) PE-304 (30W) (28-19-0304) - Rated Input: 70/100V (8 Ω 只適用於 PE-304) - Power Output: 6/3/1W@100V Power Output: 30/20/15/10/5W@100V - Frequency Response: 100-18,000Hz (頻率響應: 100-18,000Hz) Frequency Response: 70-20,000Hz (頻率響應: 70-20,000Hz) - Sensitivity: 90dB/91dB (靈敏度: 90dB/91dB) - Φ186x251(H)xmm	歡迎查詢 Please ask	現貨 Available
28-15-0100 / 28-15-0200	寬頻域投射式喇叭 PJ-100W (10W) (28-15-0100) 寬頻域投射式喇叭 PJ-200W (20W) (28-15-0200) - Rated Input: 50/70/100V - Power Output: 10/5/2.5W@100V Power Output: 20/10/5W@100V - Frequency Response: 65-15,000Hz (頻率響應: 65-15,000Hz) Frequency Response: 50-20,000Hz (頻率響應: 50-20,000Hz) - Sensitivity: 92dB/95dB (靈敏度: 92dB/95dB) 160(W)x200(H)x195(D)mm (PJ-100W) 200(W)x255(H)x250(D)mm (PJ-200W)	歡迎查詢 Please ask	10W 訂購 Booking 20W 現貨 Available

歡迎垂詢會員及工程項目優惠價 Special offer for members and projects, please ask.

產品規格、價錢及其供應如有更改，恕不另行通知。 All Specifications, Price and Availability are subject to change without notice.

26

產品編號 Code	產品型號及描述 Model No. and Description	價目 Price (HK\$)	存貨 Stocks
28-03-1030 / 28-03-1031	30W “兩音路” HIFI 掛牆喇叭 (8 Ω / 100V) BS-1030W 白色 (28-03-1030) 30W “兩音路” HIFI 掛牆喇叭 (8 Ω / 100V) BS-1030B 黑色 (28-03-1031)	歡迎查詢 Please ask	現貨 Available
	 - Rated Input: 70/100V/8 Ω - Power Output: 30/20/15/10/5W@100V - Frequency Response: 80-20,000Hz (頻率響應: 80-20,000Hz) - Sensitivity: 90dB (靈敏度: 90dB) - Water Resistance: IP-X4 (防水等級: IP-X4) 196(W)x290(H)x150(D)mm		
28-03-1034	10W “兩音路” 掛牆喇叭 BS-1034 (10W)	歡迎查詢 Please ask	現貨 Available
	 - Rated Input: 70/100V - Power Output: 10/5/3/1W@100V - Frequency Response: 120-20,000Hz (頻率響應: 120-20,000Hz) - Sensitivity: 90dB (靈敏度: 90dB) 210(W)x330(H)x80(D)mm		
28-03-1134	10W “兩音路” 掛牆喇叭 BS-1034S (10W)	歡迎查詢 Please ask	訂購 Booking
	 - Rated Input: 70/100V - Power Output: 10/5/3/1W@100V - Frequency Response: 120-20,000Hz (頻率響應: 120-20,000Hz) - Sensitivity: 90dB (靈敏度: 90dB) 210(W)x330(H)x80(D)mm		

歡迎垂詢會員及工程項目優惠價 Special offer for members and projects, please ask.

產品規格、價錢及其供應如有更改，恕不另行通知。 All Specifications, Price and Availability are subject to change without notice.

27

產品編號 Code	產品型號及描述 Model No. and Description	價目 Price (HK\$)	存貨 Stocks
28-03-0633 / 28-03-1633	6W 掛牆喇叭 BS-633A (28-03-0633) 6W 掛牆喇叭 BS-633AT (28-03-1633) - Rated Input: 70/100V - Power Output: 6/3/1W@100V - 支援音量控制(只限 BS-633AT) - Frequency Response: 120-15,000Hz (頻率響應: 120-15,000Hz) - Sensitivity: 91dB (靈敏度: 91dB) 173(W)x195(H)x101(D)mm	歡迎查詢 Please ask	現貨 Available
28-03-0634 / 28-03-1634	6W 掛牆喇叭 BS-634 (6W) (28-03-0634) 6W 掛牆喇叭 BS-634T (6W) (28-03-1634) - Rated Input: 70/100V - Power Output: 6/3W@100V - Power Output: 6W@100V - 支援音量控制(只限 BS-634T) - Frequency Response: 120-18,000Hz (頻率響應: 120-18,000Hz) - Sensitivity: 90dB (靈敏度: 90dB) 210(W)x330(H)x80(D)mm	歡迎查詢 Please ask	BS-634 現貨 Available BS-634T 訂購 Booking
28-03-0678	6W 掛牆揚聲器 BS-678 (6W) - Rated Input: 70/100V - Power Output: 6/3/1.5/0.8W@100V - Frequency Response: 150-20,000Hz (頻率響應: 150-20,000Hz) - Sensitivity: 94dB (靈敏度: 94dB) 250(W)x190(H)x110(D)mm	歡迎查詢 Please ask	現貨 Available

歡迎垂詢會員及工程項目優惠價 Special offer for members and projects, please ask.

產品規格、價錢及其供應如有更改，恕不另行通知。 All Specifications, Price and Availability are subject to change without notice.

28

產品編號 Code	產品型號及描述 Model No. and Description	價目 Price (HK\$)	存貨 Stocks
28-03-0680	6W “兩音路” 嵌進式喇叭 BS-680F (6W) - Rated Input: 70/100V - Power Output: 6/3/1.5/0.8W@100V - Frequency Response: 150-20,000Hz (頻率響應: 150-20,000Hz) - Sensitivity: 94dB (靈敏度: 94dB) 310(W)x190(H)x87.2(D)mm	歡迎查詢 Please ask	現貨 Available
28-03-1680	6W “兩音路” 嵌進式喇叭 BS-680FC (6W) - Rated Input: 70/100V - Power Output: 6/3/1.5/0.8W@100V - Frequency Response: 150-20,000Hz (頻率響應: 150-20,000Hz) - Sensitivity: 94dB (靈敏度: 94dB) 310(W)x190(H)x87.2(D)mm - 符合 BS 5839-8:1998 (10.3 Protection of Loudspeaker standard)	歡迎查詢 Please ask	訂購 Booking
28-03-1001 / 28-03-1003 28-03-1000 / 28-03-1002	15W Wide-Dispersion “兩音路” HIFI 掛牆喇叭 F-1000BT 黑色 (28-03-1001) 15W Wide-Dispersion “兩音路” HIFI 掛牆喇叭 F-1000BTWP 黑色 (IPX4 防水型) (28-03-1003) 15W Wide-Dispersion “兩音路” HIFI 掛牆喇叭 F-1000WT 白色 (28-03-1000) 15W Wide-Dispersion “兩音路” HIFI 掛牆喇叭 F-1000WTWP 白色 (IPX4 防水型) (28-03-1002) - Rated Input: 70/100V - Power Output: 15/5/3/1W@100V - Frequency Response: 85-20,000Hz (頻率響應: 85-20,000Hz) - Sensitivity: 87dB (靈敏度: 87dB) 130(W)x202(H)x131(D)mm	歡迎查詢 Please ask	訂購 Booking

歡迎垂詢會員及工程項目優惠價 Special offer for members and projects, please ask.

產品規格、價錢及其供應如有更改，恕不另行通知。 All Specifications, Price and Availability are subject to change without notice.

29

產品編號 Code	產品型號及描述 Model No. and Description	價目 Price (HK\$)	存倉 Stocks
28-03-1301 / 28-03-1303 28-03-1300 / 28-03-1302	30W Wide-Dispersion “兩音路” HIFI 掛牆喇叭 F-1300BT 黑色 (28-03-1301) 30W Wide-Dispersion “兩音路” HIFI 掛牆喇叭 F-1300BTWP 黑色 (IPX4 防水型) (28-03-1303) 30W Wide-Dispersion “兩音路” HIFI 掛牆喇叭 F-1300WT 白色 (28-03-1300) 30W Wide-Dispersion “兩音路” HIFI 掛牆喇叭 F-1300WTWP 白色 (IPX4 防水型) (28-03-1302) ● Rated Input: 70/100V ● Power Output: 30/10/3/1W@100V ● Frequency Response: 80-20,000Hz (頻率響應: 80-20,000Hz) ● Sensitivity: 90dB (靈敏度: 90dB) ● 162(W)x250(H)x161(D)mm	歡迎查詢 Please ask	訂購 Booking
28-03-2001 / 28-03-2003 28-03-2000 / 28-03-2002	 60W Wide-Dispersion “兩音路” HIFI 掛牆喇叭 F-2000BT 黑色 (28-03-2001) 60W Wide-Dispersion “兩音路” HIFI 掛牆喇叭 F-2000BTWP 黑色 (IPX4 防水型) (28-03-2003) 60W Wide-Dispersion “兩音路” HIFI 掛牆喇叭 F-2000WT 白色 (28-03-2000) 60W Wide-Dispersion “兩音路” HIFI 掛牆喇叭 F-2000WTWP 白色(IPX4 防水型) (28-03-2002) ● Rated Input: 70/100V ● Power Output: 60/30/15/3W@100V ● Frequency Response: 65-20,000Hz (頻率響應: 65-20,000Hz) ● Sensitivity: 92dB/93dB(with horn adapter) (靈敏度: 92dB/93dB(號角適配器)) ● 244(W)x373(H)x235(D)mm	歡迎查詢 Please ask	訂購 Booking

歡迎垂詢會員及工程項目優惠價 Special offer for members and projects, please ask.

產品規格、價錢及其供應如有更改，恕不另行通知。 All Specifications, Price and Availability are subject to change without notice.

30

產品編號 Code	產品型號及描述 Model No. and Description	價目 Price (HK\$)	存貨 Stocks
28-03-0205 / 28-03-0301	20W 四單元掛牆柱型喇叭 TZ-205 四單元 (20W) (28-03-0205) 20W 四單元掛牆柱型喇叭 TZ-301 六單元 (30W) (28-03-0301) ● Rated Input: 100V ● Power Output: 20/10W@100V (TZ-205) Power Output: 30/15W@100V (TZ-301) ● Frequency Response: 150-10,000Hz (頻率響應: 150-10,000Hz) (TZ-205) Frequency Response: 160-10,000Hz (頻率響應: 160-10,000Hz) (TZ-301) ● Sensitivity: 93dB (靈敏度: 93dB) (TZ-205) Sensitivity: 100dB (靈敏度: 100dB) (TZ-301) ● Water Resistance: IPX3 (防水級別: IPX3) ● 167(W)x580(H)x141(D)mm (TZ-205) 167(W)x1256(H)x141(D)mm (TZ-301)	歡迎查詢 Please ask	訂購 Booking
28-13-1000	90W Wide-Dispersion “兩音路”黑色掛牆喇叭(8Ω) F-1000B ● Power Output: 90W ● Frequency Response: 85-20,000Hz (頻率響應: 85-20,000Hz) ● Sensitivity: 87dB (靈敏度: 87dB) ● 130(W)x202(H)x131(D)mm ● 另備白色, 可供選擇	歡迎查詢 Please ask	訂購 Booking
28-13-1300	150W Wide-Dispersion “兩音路”黑色掛牆喇叭(8Ω) F-1300B ● Power Output: 150W ● Frequency Response: 80-20,000Hz (頻率響應: 80-20,000Hz) ● Sensitivity: 90dB (靈敏度: 90dB) ● 162(W)x250(H)x161(D)mm ● 另備白色, 可供選擇	歡迎查詢 Please ask	訂購 Booking
28-13-2000	180W Wide-Dispersion “兩音路”黑色掛牆喇叭(8Ω) F-2000B ● Power Output: 180W ● Frequency Response: 65-20,000Hz (頻率響應: 65-20,000Hz) ● Sensitivity: 92dB (靈敏度: 92dB) ● 244(W)x373(H)x235(D)mm ● 另備白色, 可供選擇	歡迎查詢 Please ask	訂購 Booking

歡迎垂詢會員及工程項目優惠價 Special offer for members and projects, please ask.

產品規格、價錢及其供應如有更改，恕不另行通知。 All Specifications, Price and Availability are subject to change without notice.

31

產品編號 Code	產品型號及描述 Model No. and Description	價目 Price (HK\$)	存倉 Stocks
28-13-0005	600W 黑色掛牆喇叭 (8Ω) HX-5B ● Frequency Response: 70 – 20,000Hz (頻率響應: 70 – 20,000Hz) ● Sensitivity: 96-99dB (靈敏度: 96-99dB) ● 408(W)x546(H)x342(D)mm ● 另備白色,可供選擇	歡迎查詢 Please ask	訂購 Booking
28-13-0605	120W 2way 黑色掛牆喇叭(8Ω) F-605WP-L ● Frequency Response: 80 – 20,000Hz (頻率響應: 80 – 20,000Hz) ● Sensitivity: 98dB (靈敏度: 98dB) ● 552(W)x392(H)x250(D)mm	歡迎查詢 Please ask	訂購 Booking
28-08-0600	掛牆喇叭支架 YS-600 ● 供 F-605 使用	歡迎查詢 Please ask	訂購 Booking

歡迎垂詢會員及工程項目優惠價 Special offer for members and projects, please ask.

產品規格、價錢及其供應如有更改，恕不另行通知。 All Specifications, Price and Availability are subject to change without notice.

32

產品編號 Code	產品型號及描述 Model No. and Description	價目 Price (HK\$)	存倉 Stocks
28-16-0104	TT-104B 時間編程器 - Power outage Protection Period: 100 hours - Program Capacity: 30 Steps per channel - Programmable items: Day of the week, hour, minute, output channel - No. of channels: 4 (A, B, C, D) - Clock Accuracy: ± 5 seconds per month 445(W)x420(H)x228(D)mm	歡迎查詢 Please ask	訂購 Booking
28-08-0104	ZM-104A 廣播系統阻抗表 - Power Source: R6 x 4/1.5V DC (電源: R6 x 4/1.5V DC) - Direct reading meter, unit: Ω - Measurement Range: 5Ω-1kΩ, 50Ω-10kΩ, 500Ω - 100kΩ - Oscillation Frequency: 1 kHz, $\pm 10\%$ 110(W)x180(H)x58(D)mm	歡迎查詢 Please ask	現貨 Available
28-08-0063 / 28-08-0303 28-08-0603	喇叭聲量控制器 AT-063P (6W) (28-08-0063) 喇叭聲量控制器 AT-303P (30W) (28-08-0303) 喇叭聲量控制器 AT-603P (60W) (28-08-0603) - Input Range: 0.5-6 W (輸入功率: 0.5-6 W) (AT-063P) - Input Range: 0.5-30 W (輸入功率: 0.5-30 W) (AT-303P) - Input Range: 0.5-60 W (輸入功率: 0.5-60 W) (AT-603P) - Attenuation 衰減: 5 steps (0 dB, -6 dB, -12 dB, -18 dB, OFF) 70(W)x120(H)x55(D)mm	歡迎查詢 Please ask	現貨 Available
28-08-0011	喇叭聲量控制器底箱 YS-11A 70(W)x120(H)x40(D)mm - 配合 AT-063P, AT-303P 及 AT-603P 使用	歡迎查詢 Please ask	現貨 Available

歡迎垂詢會員及工程項目優惠價 Special offer for members and projects, please ask.

產品規格、價錢及其供應如有更改，恕不另行通知。 All Specifications, Price and Availability are subject to change without notice.

33

產品編號 Code	產品型號及描述 Model No. and Description	價目 Price (HK\$)	存貨 Stocks
28-08-0021	10ch 喇叭分區控制器 SS-021B 10 individual speaker selector (10 組獨立喇叭選擇) 1 all-call switch with remote control facility - Max Control Power: Up to 1,000 W 483(W)x88.5(H)x266.2(D)mm	歡迎查詢 Please ask	訂購 Booking
28-08-2010	10 Group (2 to 1) 喇叭分區控制器 SS-2210 10 BGM/Paging Selectors 1 All Call Selector for All Paging - Remote Control Function (DC24V Trigger) - Max. Control Power: Up to 2,000W 420(W)x44(H)x320(D)mm	歡迎查詢 Please ask	訂購 Booking

歡迎垂詢會員及工程項目優惠價 Special offer for members and projects, please ask.

汽車公共廣播擴音機 Car Amplifier

產品編號 Code	產品型號及描述 Model No. and Description	價目 Price (HK\$)	存貨 Stocks
28-50-0115 / 28-50-0130	汽車公共廣播擴音機 (DC 12V) CA-115 (15W) (28-50-0115)	歡迎查詢 Please ask	CA-130 現貨 Available
28-50-0160	汽車公共廣播擴音機 (DC 12V) CA-130 (30W) (28-50-0130)		CA-115/ CA-160 訂購 Booking
	汽車公共廣播擴音機 (DC 12V) CA-160 (60W) (28-50-0160)		
	15W/30W/60W - Frequency Response: 100-10,000Hz(頻率響應: 100-10,000Hz) - Input: 1*MIC, 1*Aux 178(W)x50(H)x132(D)mm(CA-115) 178(W)x50(H)x144(D)mm(CA-130) 178(W)x50(H)x170(D)mm(CA-160)		

歡迎垂詢會員及工程項目優惠價 Special offer for members and projects, please ask.

產品規格、價錢及其供應如有更改，恕不另行通知。 All Specifications, Price and Availability are subject to change without notice.

34

產品編號 Code	產品型號及描述 Model No. and Description	價目 Price (HK\$)	存貨 Stocks
28-05-0520	6W 手提大聲公 ER-520 (10W Max) - Rated: 6W (Max:10W) 額定: 6W (最大:10W) - Power Source: AA x 8/12V DC (電源: AA x 8/12V DC) - Battery Life: 10hours (續航力: 10 小時) - Voice Range: 250m (話音距離: 250 米) - Anti-bacteria Treatment: Mouth and handle (抗菌處理: 話筒及把手) - Weight: 620g (重量: 620g) 160(W)x256(H)x260(D)mm	歡迎查詢 Please ask	訂購 Booking
28-05-3520	6W 手提大聲公 (警號聲) ER-520S (10W Max) - Rated: 6W (Max:10W) 額定: 6W (最大:10W) - Power Source: AA x 8/12V DC (電源: AA x 8/12V DC) - Battery life: 10 hours voice/40min Siren (續航力: 10 小時話音/40 分鐘警號聲) - Voice Range: 250m Siren Range: 315m (話音距離: 250 米 警號聲: 315 米) - Anti-bacteria Treatment: Mouth and handle (抗菌處理: 話筒及把手) - Weight: 650g (重量: 650 克) 160(W)x256(H)x260(D)mm	歡迎查詢 Please ask	現貨 Available
28-05-1520	6W 手提大聲公(哨子聲) ER-520W (10W Max) - Rated: 6W (Max:10W) 額定: 6W (最大:10W) - Power Source: AA x 8/12V DC (電源: AA x 8/12V DC) - Battery life: 10 hours voice/30min Whistle (續航力: 10 小時話音/30 分鐘哨子聲) - Voice Range: 250m 哨子聲: 315m (話音距離: 250 米 哨子聲: 315 米) - Anti-bacteria Treatment: Mouth and handle (抗菌處理: 話筒及把手) - Weight (重量: 650g) 160(W)x256(H)x260(D)mm	歡迎查詢 Please ask	現貨 Available

歡迎垂詢會員及工程項目優惠價 Special offer for members and projects, please ask.

產品規格、價錢及其供應如有更改，恕不另行通知。 All Specifications, Price and Availability are subject to change without notice.

35

產品編號 Code	產品型號及描述 Model No. and Description	價目 Price (HK\$)	存貨 Stocks
28-05-0604	6W Shoulder Type 大聲公 (VOX/哨子聲) ER-604W (6W) - Rated: 6W (Max:10W) 額定: (最大:10W) - Power Source: AA x 8/12V DC 電源: AA x 8/12V DC - Battery Life: 10 hours voice/30min Whistle (續航力: 10 小時話音/30 分鐘哨子聲) - Voice Rang: 160m Whistle:160m (話音距離: 160 米 哨子聲: 160 米) - Input:2*MIC (MIC 2 support Phantom powering), 1*AUX - Anti-bacteria Treatment(抗菌處理: 話筒及把手) - Weight1.6kg (重量: 1.6 公斤) 102(W)x258(H)x216(D)mm	歡迎查詢 Please ask	訂購 Booking
28-05-1000	6W 便攜式擴音器(AUX in for MP3 Playback) ER-1000 (6W) - Power Source: AA x 6/9V DC (電源: AA x 6/9V DC) - Battery life: 8 hours voice/4.5hours AUX in (續航力: 8 小時話音/4.5 小時輸入) - Voice Range: 80m (話音距離: 80 米) - Input: 1*MIC (Phantom power), 1*AUX - Weight: 480g (重量: 480 克) 133(W)x96(H)x222(D)mm	歡迎查詢 Please ask	現貨 Available
28-05-1203	4W 手提大聲公(IPx5 防潑水型)ER-1203 (4W Max) - Rated: 3W (Max:4W) 額定: (最大:4W) - Power Source: AA x 4/6V DC (電源: AA x 4/6V DC) - Battery Life: 8hours (續航力: 8 小時) - Voice Range125m (話音距離: 125 米) - Frequency Response: 500-6,000Hz (頻率響應: 500-6,000Hz) - Anti-bacteria Treatment: Mouth and handle(抗菌處理: 話筒及把手) - Water Resistance: IPX5 (防水等級: IPX5) - Weight: 610g (重量: 610 克) 137(W)x257.8(H)x210(D)mm	歡迎查詢 Please ask	現貨 Available

歡迎垂詢會員及工程項目優惠價 Special offer for members and projects, please ask.

產品規格、價錢及其供應如有更改，恕不另行通知。 All Specifications, Price and Availability are subject to change without notice.

36

產品編號 Code	產品型號及描述 Model No. and Description	價目 Price (HK\$)	存倉 Stocks
28-05-1206	10W 手提大聲公(IPx5 防潑水型)ER-1206 (10W Max) - Rated: 6W (Max:10W) 額定:6W (最大:10W) - Power Source: AA x 6/9V DC (電源: AA x 6/9V DC) - Battery Life: 8hours (續航力: 8 小時) - Voice Range:250m (話音距離: 250 米) - Frequency Response: 450-6,000Hz (頻率響應: 450-6,000Hz) - Anti-bacteria Treatment: Mouth and handle (抗菌處理: 話筒及把手) - Water Resistance: IPX5 (防水等級: IPX5) - Weight:660g (重量: 660 克) 154(W)x266(H)x250(D)mm	歡迎查詢 Please ask	訂購 Booking
28-05-3206	10W 手提大聲公(IPx5 防潑水型) (警號聲) ER-1206S (10W Max) - Rated: 6W (Max:10W) 額定: (最大:10W) - Power Source: AA x 6/9V DC (電源: AA x 6/9V DC) - Battery Life: 8 hours voice/20min Siren (續航力: 8 小時話音/20 分鐘警號聲) - Voice Range: 250m Siren: 315m (話音距離:250 米 警號聲:315 米) - Frequency Response 頻率響應: 450-6,000Hz - Anti-bacteria Treatment 抗菌處理: 話筒及把手 - Water Resistance 防水等級: IPX5 - Weight: 680g (重量: 680 克) 154(W)x266(H)x250(D)mm	歡迎查詢 Please ask	訂購 Booking
28-05-2206	10W 手提大聲公(IPx5 防潑水型) (哨子聲)ER-1206W (10W Max) - Rated: 6W (Max:10W) 額定: (最大:10W) - Power Source: AA x 6/9V DC (電源: AA x 6/9V DC) - Battery Life: 8 hours voice/20min Siren (續航力: 8 小時話音/20 分鐘警號聲) - Voice Range: 250m Whistle: 315m (話音距離:250 米 哨子聲:315 米) - Frequency Response: 450-6,000Hz (頻率響應: 450-6,000Hz) - Anti-bacteria Treatment: Mouth and handle (抗菌處理: 話筒及把手) - Water resistance: IPX5 (防水等級: IPX5) - Weight:680g (重量: 680 克) 154(W)x266(H)x250(D)mm	歡迎查詢 Please ask	現貨 Available

歡迎垂詢會員及工程項目優惠價 Special offer for members and projects, please ask.

產品規格、價錢及其供應如有更改，恕不另行通知。 All Specifications, Price and Availability are subject to change without notice.

37

產品編號 Code	產品型號及描述 Model No. and Description	價目 Price (HK\$)	存貨 Stocks
28-05-1215	23W 手提大聲公 ER-1215 (23W Max) - Rated: 15W (Max:23W) 額定: (最大:23W) - Power Source: C x 6/9V DC (電源: C x 6/9V DC) - Battery Life: 14 hours voice (續航力: 14 小時話音) - Voice Range: 315m (話音距離: 315 米) - Anti-bacteria Treatment: Mouth and handle (抗菌處理: 話筒及把手) - Weight: 1.1kg (重量: 1.1 公斤) 210(W)x291(H)x346(D)mm	歡迎查詢 Please ask	現貨 Available
			
28-05-3215	23W 手提大聲公 (警號聲) ER-1215S (23W Max) - Rated: 15W (Max:23W) 額定: (最大:23W) - Power Source: C x 6/9V DC (電源: C x 6/9V DC) - Battery Life: 14 hours voice/20min Siren (續航力: 14 小時話音/20 分鐘警號聲) - Voice Range: 315m Siren: 500m (話音距離: 315 米 警號聲: 500 米) - Anti-bacteria Treatment: Mouth and handle (抗菌處理: 話筒及把手) - Weight: 1.2kg (重量: 1.2 公斤) 210(W)x291(H)x346(D)mm	歡迎查詢 Please ask	現貨 Available
			
28-05-2214	23W Shoulder Type 大聲公 ER-2215 (23W Max) - Rated: 15W (Max:23W) 額定: 15W (最大:23W) - Power Source: C x 6/9V DC (電源: C x 6/9V DC) - Battery Life: 9 hours voice (續航力: 9 小時話音) - Voice Range: 400m (話音距離: 400 米) - Anti-bacteria Treatment: Mouth and handle (抗菌處理: 話筒及把手) - Weight: 1.1kg (重量: 公斤) - Φ210x336mm	歡迎查詢 Please ask	訂購 Booking
			

歡迎垂詢會員及工程項目優惠價 Special offer for members and projects, please ask.

產品規格、價錢及其供應如有更改，恕不另行通知。 All Specifications, Price and Availability are subject to change without notice.

38

產品編號 Code	產品型號及描述 Model No. and Description	價目 Price (HK\$)	存貨 Stocks
28-05-2215	23W Shoulder Type 大聲公 (哨子聲)ER-2215W (23W Max) - Rated: 15W (Max:23W) 額定: (最大:23W) - Power Source: C x 6/9V DC (電源: C x 6/9V DC) - Battery Life: 9 hours voice/20min Whistle 續航力: 9 小時話音/20 分鐘警號聲 - Voice Range: 400m Whistle: 500m (話音距離: 400 米 哨子聲:500 米) - Anti-bacteria Treatment: Microphone (抗菌處理: 話筒) - Weight: 1.2kg (重量: 1.2 公斤) - Φ210x336mm	歡迎查詢 Please ask	現貨 Available
28-05-3214	23W 手提+Shoulder Type 大聲公 ER-3215 (23W Max) - Rated: 15W (Max:23W) 額定: (最大:23W) - Power Source: C x 6/9V DC (電源: C x 6/9V DC) - Battery Life: 9hours (續航力: 9 小時) - Voice Range: 400m (話音距離:400 米) - Anti-bacteria Treatment: Mouth and handle (抗菌處理: 話筒及把手) - Weight: 1.15kg (重量: 1.15 公斤) 210(W)x219(H)x381(D)mm	歡迎查詢 Please ask	現貨 Available

歡迎垂詢會員及工程項目優惠價 Special offer for members and projects, please ask.

產品規格、價錢及其供應如有更改，恕不另行通知。 All Specifications, Price and Availability are subject to change without notice.

39

產品編號 Code	產品型號及描述 Model No. and Description	價目 Price (HK\$)	存貨 Stocks
28-05-2230	45W 手提大聲公 ER-2230W (28-05-2230) 45W 手提大聲公 ER-2930W* (可配無線咪接收器 WTU-4800) (28-05-2930) - Rated: 30W (Max:45W) 額定: (最大:45W) - Power Source: D x 10/15V DC (電源: D x 10/15V DC) - Battery Life: 17 hours voice/90min Whistle (續航力: 17 小時話音/90 分鐘哨子聲) - Voice Range: 800m Whistle: 1000m (話音距離: 800 米 哨子聲: 1000 米) - AUX input: Φ3.5 mini jack - EXT. Mic: Φ6.3 phone jack - Anti-bacteria Treatment: Microphone (抗菌處理: 話筒) - Weight: 3.6kg/3.8kg (重量: 3.6 公斤/3.8 公斤) - Φ351x512mm	歡迎查詢 Please ask	現貨 Available
28-05-2930			
28-80-1821 / 28-80-1822	大聲公 (可配無線咪接收器 WTU-4800) WA-1822 (28-80-1821) 大聲公 (可配無線咪接收器 WTU-4800)WA-1822C (卡式帶播放器) (28-80-1822) - Rated: 20W (Max:40W) 額定: (最大:40W) - Power Source: D x 8 (電源: D x 8) - Battery Life: 6hour (續航力: 6 小時) - Range: 400m (距離:400 米) - Weight: 6kg(WA-1822) / 6.7kg(WA-1822C) 298(W)x460(H)x200(D)mm	歡迎查詢 Please ask	訂購 Booking
			

歡迎垂詢會員及工程項目優惠價 Special offer for members and projects, please ask.

產品規格、價錢及其供應如有更改，恕不另行通知。 All Specifications, Price and Availability are subject to change without notice.

40

產品編號 Code	產品型號及描述 Model No. and Description	價目 Price (HK\$)	存貨 Stocks
28-20-1100	有線咪高峰 DM-1100 - Type: Moving coil microphone - Frequency Response: 100-12kHz (頻率響應: 100-12kHz) - Sensitivity: -55dB (靈敏度: -55dB) - Output: Phone plug - Cable Length: 7.5m (線長: 7.5 米) - Φ55x178mm - Weight: 155g (重量: 155 克)	歡迎查詢 Please ask	現貨 Available
28-20-1200	有線咪高峰 DM-1200 - Type: Moving coil microphone - Frequency Response: 50-12kHz (頻率響應: 50-12kHz) - Sensitivity: -52dB (靈敏度: -52dB) - Output: Phone plug - Cable Length: XLR-6.3mm 10m (線長: XLR-6.3mm 10 米) - Φ39.5x163mm - Weight: 265g (重量: 265 克)	歡迎查詢 Please ask	訂購 Booking
28-20-0100	有線鵝頸咪 (叮噹音提示) EC-100M - Power Source: 3V DC/(R14P)C x 2 電源: 3V DC/(R14P)C x 2 - Chime Tones: Ascending and descending 4-tone chime - Frequency Response: 200-10kHz (頻率響應: 200-10kHz) - Output: Chime signal/Microphone - Weight: 770g (重量: 770 克)	歡迎查詢 Please ask	現貨 Available

歡迎垂詢會員及工程項目優惠價 Special offer for members and projects, please ask.

產品編號 Code	產品型號及描述 Model No. and Description	價目 Price (HK\$)	存倉 Stocks
28-20-0700	有線範圍咪高峰 EM-700 - Type: Electret condenser - Frequency Response: 35-20kHz (頻率響應: 35-20kHz) - Sensitivity: -33dB (靈敏度: -33dB) - Phantom Power: 9-52V DC (幻象電源: 9-52V DC) - Output: XLR - Cable Length: 7.5m (線長: 7.5 米) 83(W)x23(H)x83(D)mm - Weight: 290g (重量: 290 克)	歡迎查詢 Please ask	訂購 Booking
28-20-0120	有線咪高峰 PM-120 - Built-in push-to-talk switch with lock - Frequency Response: 50-12kHz (頻率響應: 50-12kHz) - Output: Phone plug - Cable Length: 2.5m (線長: 2.5 米) - Weight: 230g (重量: 230 克)	歡迎查詢 Please ask	現貨 Available
28-20-0660 / 28-20-1660	有線座檯咪高峰 PM-660 (28-20-0660) 有線座檯咪高峰 PM-660D (28-20-1660) - Type: Moving coil microphone - Frequency Response: 100-10kHz (頻率響應: 100-10kHz) - Sensitivity: -58dB (靈敏度: -58dB) - Output: Phone plug(PM-660)/5-pin DIN plug(PM-660D) - Talk Switch: 1-push-to-talk switch, 1-locking lever, Short-off type - Remote Control: 500 mA or less at 30 V DC 100(W)x215(H)x150(D)mm	歡迎查詢 Please ask	現貨 Available

歡迎垂詢會員及工程項目優惠價 Special offer for members and projects, please ask.

產品規格、價錢及其供應如有更改，恕不另行通知。 All Specifications, Price and Availability are subject to change without notice.

42

產品編號 Code	產品型號及描述 Model No. and Description	價目 Price (HK\$)	存倉 Stocks
28-95-5220	UHF 16ch 無線手咪 WM-5220 - Electret condenser unit: Cardioid - Frequency Range: 636 - 865 MHz, UHF (頻段範圍: 636 - 865 MHz, UHF) - Channel Selectable: 16 channels (可選擇頻道: 16 條) - Frequency Response: 100-15kHz (頻率響應: 100-15kHz) - Battery: AA 10hours (10 小時) - Weight: 180g (重量: 180 克) - Φ43.6x231.5mm	歡迎查詢 Please as	現貨 Available
28-95-5270	UHF 64ch 無線手咪 (演唱用) M-5270 - Dynamic microphone unit: Unidirectional - Frequency Range: 576 - 865 MHz, UHF (頻段範圍: 576 - 865 MHz, UHF) - Channel Selectable: 64 channels (可選擇頻道: 64 條) - Frequency Response: 80-15kHz (頻率響應: 80-15kHz) - Battery: AA 10hours (10 小時) - Weight: 340g (重量: 340 克) - Φ48x244mm	歡迎查詢 Please as	訂購 Booking

歡迎垂詢會員及工程項目優惠價 Special offer for members and projects, please ask.

產品規格、價錢及其供應如有更改，恕不另行通知。 All Specifications, Price and Availability are subject to change without notice.

43

產品編號 Code	產品型號及描述 Model No. and Description	價目 Price (HK\$)	存貨 Stocks
28-95-5320	UHF 64ch 無線發射腰包 (連無線咪)WM-5320 - Electret condenser microphone, omni-directional pattern - Frequency Range: 636 - 865 MHz, UHF (頻段範圍: 636 - 865 MHz, UHF) - Channel Selectable: 64 channels (可選擇頻道:64 條) - Battery: AA 10hours (10 小時) - Weight: 110g (重量: 110 克) 62(W)x102.5(H)x23(D)mm	歡迎查詢 Please ask	現貨 Available
28-95-5321	UHF 64ch 無線發射腰包 (連無線運動頭咪) M-5320A - Electret condenser unit: Cardioid - Frequency Range: 636 - 865 MHz, UHF (頻段範圍: 636 - 865 MHz, UHF) - Channel Selectable: 64 channels (可選擇頻道:64 條) - Battery: AA 10hours (10 小時) - Weight: 130g (重量: 130 克) 62(W)x102.5(H)x23(D)mm	歡迎查詢 Please ask	訂購 Booking
28-95-5328	UHF 64ch 無線發射腰包 (連無線頭咪) M-5320H - Electret condenser unit: Cardioid - Frequency Range: 636 - 865 MHz, UHF (頻段範圍: 636 - 865 MHz, UHF) - Channel Selectable: 64 channels (可選擇頻道:64 條) - Battery: AA 10hours (10 小時) - Weight: 130g (重量: 130 克) 62(W)x102.5(H)x23(D)mm	歡迎查詢 Please ask	訂購 Booking

歡迎垂詢會員及工程項目優惠價 Special offer for members and projects, please ask.

產品規格、價錢及其供應如有更改，恕不另行通知。 All Specifications, Price and Availability are subject to change without notice.

44

產品編號 Code	產品型號及描述 Model No. and Description	價目 Price (HK\$)	存倉 Stocks
28-95-5800	UHF 單通道 64ch 座檯接收器 WT-5800 - Power Source: AC mains (supplied AC adapter must be used) - Channel Selectable: 64CH (可選擇頻道:64 條) - Diversity System: True diversity - Mixing input: 1*phone jack (from other receiver lineout) - Output: 1*phone jack + 1* XLR (MIC/Line) - Receiving Sensitivity: 90 dB (接收靈敏度: 90 dB) 210(W)x44(H)x205.1(D)mm	歡迎查詢 Please ask	現貨 Available
28-95-5805	UHF 單通道 64ch 座檯接收器 WT-5805 - Power Source: AC mains (supplied AC adapter must be used) - Channel Selectable: 64CH (可選擇頻道:64 條) - Diversity System: Space diversity - Mixing input: 1*phone jack (from other receiver lineout) - Output: 1*phone jack + 1* XLR (MIC/Line) - Receiving Sensitivity: 90 dB (接收靈敏度: 90 dB) 210(W)x44(H)x205.1(D)mm	歡迎查詢 Please ask	現貨 Available
28-95-5810	UHF 16ch 座檯接收器 WT-5810 - Power Source: AC mains (supplied AC adapter must be used) - Channel Selectable: 16CH (可選擇頻道:16 條) - Diversity System: Space Diversity - Mixing input: 1*phone jack (from other receiver lineout) - Output: 1*phone jack + 1* XLR (MIC/Line) - Receiving Sensitivity: 90 dB (接收靈敏度: 90 dB) 206(W)x40.6(H)x152.7(D)mm	歡迎查詢 Please ask	現貨 Available

歡迎垂詢會員及工程項目優惠價 Special offer for members and projects, please ask.

產品規格、價錢及其供應如有更改，恕不另行通知。 All Specifications, Price and Availability are subject to change without notice.

45

產品編號 Code	產品型號及描述 Model No. and Description	價目 Price (HK\$)	存貨 Stocks
28-95-4820	UHF 雙通道接收機箱 (可加 Module 及換天線) WT-4820 ● Power Source: AC mains (supplied AC adapter must be used) ● Channel Selectable: 16CH (可選擇頻道:16 條) ● Mixing Input: 1*phone jack (from other receiver lineout) ● Output: Mixing/Channel: 1*phone jack/XLR Channel 2: 1*phone jack ● Frequency Response: 50-18,000 Hz (頻率響應: 50-18,000 Hz) ● 210(W)x44(H)x181(D)mm	歡迎查詢 Please ask	現貨 Available
28-95-4801	UHF 16ch 接收模塊 WTU-4800 ● Power Requirement: 7-12V DC ● Channel Selectable: 16CH (可選擇頻道:16 條) ● Diversity System: Space Diversity ● Receiving Frequency: 576 - 865 MHz, UHF (接收頻段:576 - 865 MHz, UHF) ● Receiving Sensitivity: 80 dB (接收靈敏度: 80 dB) ● 60(W)x25(H)x139(D)mm	歡迎查詢 Please ask	現貨 Available
28-95-4800	UHF 天線分配箱 WD-4800 ● 2 antenna inputs to 4 group distributed outputs ● Frequency Range: VHF/UHF (頻度: VHF/UHF) ● Antenna input: 2*BNC ● Antenna output: 4 group (BNC) ● 420(W)x44(H)x303.5(D)mm	歡迎查詢 Please ask	現貨 Available
28-95-4500	UHF Antenna YW-4500 ● Receiving Frequency: 680 - 880 MHz, UHF (接收頻段: 636 - 865 MHz, UHF) ● Antenna gain: 8 dB or higher ● 105(W)x140(H)x126(D)mm	歡迎查詢 Please ask	現貨 Available

歡迎垂詢會員及工程項目優惠價 Special offer for members and projects, please ask.

產品規格、價錢及其供應如有更改，恕不另行通知。 All Specifications, Price and Availability are subject to change without notice.

46

產品編號 Code	產品型號及描述 Model No. and Description	價目 Price (HK\$)	存倉 Stocks
28-95-0200	紅外線無線手咪 IR-200M - Unidirectional electret condenser microphone - Wavelength: 870 nm (波長: 870 納米) - Frequency: Channel A: 3.100 MHz/Channel B: 3.350 MHz - Distance: Approx. 20 m (Power selector switch: H) Approx. 15 m (Power selector switch: N) - Battery: AAx2, Approx. 8 hours (IR-200BT, Power selector switch: N) - Weight: 170g (重量: 170 克) - Φ37x241.8mm	歡迎查詢 Please ask	訂購 Booking
28-95-0300	紅外線無線咪 IR-300M - Unidirectional electret condenser microphone - Wavelength: 870 nm (波長: 870 納米) - Frequency: Channel A: 3.100 MHz/Channel B: 3.350 MHz - Distance: Approx. 20 m (Power selector switch: H) Approx. 15 m (Power selector switch: N) - Battery: AAx2, Approx. 8 hours (IR-200BT, Power selector switch: N) - Weight: 130g (重量: 130 克) 64(W)x91.3(H)x27.3(D)mm	歡迎查詢 Please ask	訂購 Booking
28-95-0500	紅外線掛牆接收天線 IR-500R - Wavelength: 870 nm (波長: 870 納米) - Frequency: Channel A: 3.100 MHz/Channel B: 3.350 MHz - Reception Area: 15 m (接收範圍: 15 米) 70(W)x120(H)x72(D)mm	歡迎查詢 Please ask	訂購 Booking

歡迎垂詢會員及工程項目優惠價 Special offer for members and projects, please ask.

產品規格、價錢及其供應如有更改，恕不另行通知。 All Specifications, Price and Availability are subject to change without notice.

47

產品編號 Code	產品型號及描述 Model No. and Description	價目 Price (HK\$)	存倉 Stocks
28-95-0510	紅外線天花接收天線 IR-510R - Wavelength: 870 nm (波長: 870 納米) - Frequency: Channel A: 3.100 MHz/Channel B: 3.350 MHz - Reception Area: 15 m (接收範圍: 15 米) - Φ120x71.3mm	歡迎查詢 Please ask	訂購 Booking
28-95-0520	紅外線掛牆接收天線 IR-520R - Wavelength: 870 nm (波長: 870 納米) - Frequency: Channel A: 3.100 MHz/Channel B: 3.350 MHz - Reception Area: 15 m (接收範圍: 15 米) 84.5(W)x63.5(H)x32(D)mm	歡迎查詢 Please ask	訂購 Booking
28-95-0700	紅外線掛牆接收天線 IR-700D 4 mixing inputs + 2 distribution outputs - Infrared Receiver Input: 4*BNC jack - Distribution Output: BNC jack 210(W)x44(H)x200.9(D)mm	歡迎查詢 Please ask	訂購 Booking
28-95-0702	紅外線接收器 IR-702T - Receiving Frequency: Channel A: 3.100 MHz/Channel B: 3.350 MHz - Infrared Receiver Input: 2*BNC jack - Channel A/B output: 3 pole phone jack(Channel A switchable to mixer output) 210(W)x44(H)x210.9(D)mm	歡迎查詢 Please ask	訂購 Booking

歡迎垂詢會員及工程項目優惠價 Special offer for members and projects, please ask.

產品規格、價錢及其供應如有更改，恕不另行通知。 All Specifications, Price and Availability are subject to change without notice.

48

產品編號 Code	產品型號及描述 Model No. and Description	價目 Price (HK\$)	存倉 Stocks
28-95-2022	Ni-MH 充電池 IR-200BT-2Y - Capacity: 2300 mAh - Type: AA	歡迎查詢 Please ask	訂購 Booking
28-95-2023	雙通道充電咪座 IR-200BC - Charging time: 3hours (充電時間: 3 小時) - No. of MIC: 2 pieces 238(W)x83(H)x98(D)mm	歡迎查詢 Please ask	訂購 Booking



歡迎垂詢會員及工程項目優惠價 Special offer for members and projects, please ask.

產品規格、價錢及其供應如有更改，恕不另行通知。 All Specifications, Price and Availability are subject to change without notice.

49

產品編號 Code	產品型號及描述 Model No. and Description	價目 Price (HK\$)	存貨 Stocks
89-60-2010 + 89-60-2011	Network A/V/Data Transceiver 網絡影音傳送器 N-VT2010 (89-60-2010) Network A/V/Data Transceiver 網絡影音傳送器 N-VR2010 (89-60-2011)	歡迎查詢 Please ask	訂購 Booking
  ● 24V AC/DC or PoE ● Video Quality: D1(720 x 480) 25fps ● Sound Quality: ADPCM/PCM, 8kHz/32kHz ● Support Password authentication ● 105(W)x140(H)x126(D)mm			

其他 Miscellaneous

產品編號 Code	產品型號及描述 Model No. and Description	價目 Price (HK\$)	存貨 Stocks
89-95-0003 + 89-95-0004	機櫃支架 MB-WT3 (89-95-0003) 機櫃支架 MB-WT4 (89-95-0004) ● Mount 1U component(210mm width) ● Mount 2 x 1U component(210mm width)	歡迎查詢 Please ask	訂購 Booking
 			

歡迎垂詢會員及工程項目優惠價 Special offer for members and projects, please ask.

產品規格、價錢及其供應如有更改，恕不另行通知。 All Specifications, Price and Availability are subject to change without notice.

50