









Made in Taiwan
Your Premier Cable Innovator

SALES HOTLINE
(852) **3182 0888**

WECLonline.com







With over 20 years in Structured Cabling systems and accessories, MIZU possesses a wealth of experience in delivering high-quality and cost-effective products to achieve your performance goals.

TELECOMMUNICATION

CAT. 5E				
	UTP Patch Cord, (52-31)	FTP Patch Cord, (52-32)	4 pair UTP Cable, 100m (53-39-0100)	4 pair UTP Cable, 305m (53-39-2005)
PRODUCT PHOTO				
DETAILS	<ul style="list-style-type: none"> ▶ ETL/ RoHS Approval ▶ Resilient and softness 	<ul style="list-style-type: none"> ▶ ETL/ RoHS Approval ▶ Aluminum foil for shielding ▶ Resilient and softness 	<ul style="list-style-type: none"> ▶ ANSI/TIA/EIA 568B.2 and ISO11801 	<ul style="list-style-type: none"> ▶ ISO/IEC 11801; IEC 61156-5; EN50173; EN50288-3-1; TIA/EIA -568B.2
LENGTH	0.5m, 1m, 2m, 3m, 5m, 10m, 15m, 20m, 25m, 30m	0.5m, 1m, 2m, 3m, 5m, 10m, 15m, 20m, 25m, 30m		
COLOR				











CAT. 6			
	UTP Patch Cord, 250Mhz (52-33)	SSTP Patch Cord, 250Mhz (52-34)	4 pair UTP Cable, 305m (53-39-6305)
PRODUCT PHOTO			
DETAILS	<ul style="list-style-type: none"> ▶ ETL/ RoHS Approval ▶ Resilient and softness 	<ul style="list-style-type: none"> ▶ ETL/ RoHS Approval ▶ Double-layered aluminum foil for shielding ▶ Resilient and softness 	<ul style="list-style-type: none"> ▶ ISO/IEC 11801 Category 6, TIA/EIA-568-B.2-1; IEC 61156-5; EN50173
LENGTH	0.5m, 1m, 2m, 3m, 5m, 10m, 15m, 20m, 25m, 30m	0.5m, 1m, 2m, 3m, 5m, 10m, 15m, 20m, 25m, 30m	
COLOR			

FIBER OPTICS





	OM1 Multimode Duplex Fiber Cord, 62.5/125µm (52-35)	OM3 Multimode Duplex Fiber Cord, 50/125µm (52-36)	OSI Singlemode Duplex Fiber Cord, 9/125µm (52-37)
PRODUCT PHOTO	 	 	 
DETAILS	<ul style="list-style-type: none"> ▶ UL certification ▶ Insertion Loss < 0.3dB ▶ LC-LC, SC-LC, SC-SC 	<ul style="list-style-type: none"> ▶ UL certification ▶ Insertion Loss < 0.3dB, Support for 10G Ethernet ▶ LC-LC, SC-LC, SC-SC 	<ul style="list-style-type: none"> ▶ UL certification ▶ Insertion Loss < 0.3dB ▶ LC-LC, SC-LC, SC-SC
LENGTH	1m, 2m, 3m, 5m, 7m, 10m, 15m, 20m, 25m, 30m	1m, 2m, 3m, 5m, 7m, 10m, 15m, 20m, 25m, 30m	1m, 2m, 3m, 5m, 7m, 10m, 15m, 20m, 25m, 30m

AUDIO







COAXIAL CABLE

	50Ω Coaxial Cable, Braiding 90% Coverage	75Ω Coaxial Cable, Braiding 85.6% Coverage	75Ω Coaxial Cable, Braiding 90% Coverage	75Ω Coaxial Cable, Braiding 35% Coverage	Coaxial Cable, Aluminum Braiding 65% Coverage
PRODUCT PHOTO	 	 	 	 	 
LENGTH	● 300ft (53-30-0058)	● 300ft (53-30-0032)	● 300ft (53-30-1500) ● 600ft (53-30-1059)	● 200m (53-30-1032)	● 100m (53-30-3059) ● 200m (53-30-2059)
COLOR	■	■	■	□	■

MICROPHONE CABLE





	2 conductor (20x0.18mm) Cotton Thread Microphone Cable, Diameter: 5.9mm (53-37-0220)	2 conductor (12x0.18mm) Cotton Thread Microphone Cable, Diameter: 6mm (53-37-0212)
PRODUCT PHOTO	 	 
LENGTH	● 300ft	● 300ft
COLOR	■	■

SPEAKER CABLE

	19x0.2mm Speaker Cable	19x0.3mm Speaker Cable	2x90/0.12mm Speaker Cable (53-33-0070)
PRODUCT PHOTO			
LENGTH	<ul style="list-style-type: none"> 100m (53-33-0902) 200m (53-33-1902) 	<ul style="list-style-type: none"> 100m (53-33-0903) 200m (53-33-1903) 	<ul style="list-style-type: none"> 300ft
COLOR			

ACCESS CONTROL/ CONTROL

MULTI-CORE CONTROL CABLE











	8core 0.5mm ² MVVS Cotton thread Cable, Diameter: 8.8mm (53-38-0820)	4core 0.3mm ² MVVS Cotton thread Cable, Diameter: 5.7mm (53-38-0412)
PRODUCT PHOTO		
DETAILS		
LENGTH	<ul style="list-style-type: none"> 300ft 	<ul style="list-style-type: none"> 300ft
COLOR		

ACCESSORIES




KEYSTONE JACK

	Cat.3 RJ11 Jack UTP (52-08-0404)	Cat.5e RJ45 Jack UTP (52-08-0001)	Cat.5e RJ45 Jack Shielded (52-08-0508)	Cat.6 RJ45 Jack UTP Tool-less (52-08-6001)	Cat.6 RJ45 Jack Tool-less Shielded (52-08-6008)
PRODUCT PHOTO					


SNAP-IN MODULE

	Banana (52-08-0105)	Blank (52-08-0006)	BNC (52-08-0101)	Type F (52-08-0104)	HDMI (52-08-8002)	RCA (52-08-0109)	ST (Multimode) (52-08-0114)	SC (Multimode) (52-08-0111)
PRODUCT PHOTO								
COLOR								

PATCH PANEL

	Cat. 5e	Cat. 6	Patch Panel Blank	Cable Management Rack
	Cat. 5e 1U 24 Port (52-08-0024) Cat. 5e 2U 24 Port Shielded (52-08-1024)	Cat. 6 1U 24 Port (52-08-0624) Cat. 6 1U 24 Port Shielded (52-08-1624)	1U 16 Port (52-08-0316) 2U 24 Port (52-08-0324) 2U 32 Port (52-08-0332)	1U (52-08-1401) 2U (52-08-0402) D-Ring (52-08-0403)
PRODUCT PHOTO				

I-JOINT

	Cat.6 RJ45 I-Joint	Cable Stripper & 110/ Krone Punch Down Tool	Mini Patch Tester
	(52-08-0020)	(52-08-1101)	(88-20-0400)
PRODUCT PHOTO			

TOOLS

CE CERTIFIED PDU SOCKET

- Surge Protector 6 Gang BS1363 Socket, 13A (88-18-0074)
- 6 Gang BS1363 Socket with LCD Display, 13A (88-18-0073)
- 7 Gang BS1363 Socket, 13A (88-18-0071)
- 7 Gang BS1363 Socket, C14 (88-18-0072)
- 8 Gang IEC320 Socket, (88-18-0080)
- 8 Gang IEC320 Socket, 13A (88-18-0081)
- 8 Gang IEC320 Socket, C14 (88-18-0082)


PRODUCT PHOTO



SERVICE MOUNT BOX

- Cat.5e Dual Box (52-08-0602)
- Cat.5e Dual Box Shielded (52-08-0702)
- Cat.5e Single Box Shielded (52-08-0701)
- 4-Port Snap-In Module Wall Box (52-08-0204)
- 6-Port Snap-In Module Wall Box (52-08-0206)

PRODUCT PHOTO



FACE PLATE

- 1-Port, Shuttered (52-08-1001)
- 1-Port, Non-Shuttered (52-08-2002)
- 1-Port, Shuttered, Angle (52-08-1004)
- 2-Port, Shuttered (52-08-1002)
- 2-Port, Non-Shuttered (52-08-2004)
- 2-Port, Shuttered, Angle (52-08-1003)
- 4-Port, Non-Shuttered (52-08-0120)
- 4-Port, Shuttered (52-08-0007)
- Snap-In Module Wall Plate For one 2-Port (52-08-0015)
- Snap-In Module Wall Plate For two 2-Port (52-08-0113)

PRODUCT PHOTO

